

CONTENTS

FRONTISPIECE, <i>Michael Locke</i>	xiv
SURFACE MEMBRANES, GOLGI COMPLEXES, AND VACUOLAR SYSTEMS, <i>Michael Locke</i>	1
COMMUNICATION WITH SUBSTRATE-BORNE SIGNALS IN SMALL PLANT-DWELLING INSECTS, <i>Andrej Čokl and Meta Virant-Doberlet</i>	29
TOMATO, PESTS, PARASITIDS, AND PREDATORS: TRITROPHIC INTERACTIONS INVOLVING THE GENUS <i>LYCOPERSICON</i> , <i>George G. Kennedy</i>	51
ROLE OF ARTHROPOD SALIVA IN BLOOD FEEDING: SIALOME AND POST-SIALOME PERSPECTIVES, <i>José M. C. Ribeiro and Ivo M. B. Francischetti</i>	73
KEY INTERACTIONS BETWEEN NEURONS AND GLIAL CELLS DURING NEURAL DEVELOPMENT IN INSECTS, <i>Lynne A. Oland and Leslie P. Tolbert</i>	89
MOLECULAR SYSTEMATICS OF <i>ANOPHELES</i> : FROM SUBGENERA TO SUBPOPULATIONS, <i>Jaroslav Krzywinski and Nora J. Besansky</i>	111
MANIPULATION OF MEDICALLY IMPORTANT INSECT VECTORS BY THEIR PARASITES, <i>Hilary Hurd</i>	141
MALE ACCESSORY GLAND SECRETIONS: MODULATORS OF FEMALE REPRODUCTIVE PHYSIOLOGY AND BEHAVIOR, <i>Cedric Gillott</i>	163
FEATHER MITES (ACARI: ASTIGMATA): ECOLOGY, BEHAVIOR, AND EVOLUTION, <i>Heather C. Proctor</i>	185
THE GENOME SEQUENCE AND EVOLUTION OF BACULOVIRUSES, <i>Elisabeth A. Herniou, Julie A. Olszewski, Jennifer S. Cory, and David R. O'Reilly</i>	211
GENOMICS IN PURE AND APPLIED ENTOMOLOGY, <i>David G. Heckel</i>	235
MANAGEMENT OF AGRICULTURAL INSECTS WITH PHYSICAL CONTROL METHODS, <i>Charles Vincent, Guy Hallman, Bernard Panneton, and Francis Fleurat-Lessard</i>	261
COMPARATIVE SOCIAL BIOLOGY OF BASAL TAXA OF ANTS AND TERMITES, <i>Barbara L. Thorne and James F. A. Traniello</i>	283

THE ASCENDANCY OF <i>AMBLYOMMA AMERICANUM</i> AS A VECTOR OF PATHOGENS AFFECTING HUMANS IN THE UNITED STATES, <i>James E. Childs and Christopher D. Paddock</i>	307
SELECTIVE TOXICITY OF NEONICOTINOIDS ATTRIBUTABLE TO SPECIFICITY OF INSECT AND MAMMALIAN NICOTINIC RECEPTORS, <i>Motohiro Tomizawa and John E. Casida</i>	339
NONTARGET EFFECTS—THE ACHILLES' HEEL OF BIOLOGICAL CONTROL? RETROSPECTIVE ANALYSES TO REDUCE RISK ASSOCIATED WITH BIOCONTROL INTRODUCTIONS, <i>S. M. Louda, R. W. Pemberton, M. T. Johnson, and P. A. Follett</i>	365
THE EVOLUTION OF ALTERNATIVE GENETIC SYSTEMS IN INSECTS, <i>Benjamin B. Normark</i>	397
BIOCHEMISTRY AND MOLECULAR BIOLOGY OF DE NOVO ISOPRENOID PHEROMONE PRODUCTION IN THE SCOLYTIDAE, <i>Steven J. Seybold and Claus Tittiger</i>	425
CONTACT CHEMORECEPTION IN FEEDING BY PHYTOPHAGOUS INSECTS, <i>R. F. Chapman</i>	455
SIGNALING PATHWAYS AND PHYSIOLOGICAL FUNCTIONS OF <i>DROSOPHILA MELANOGASTER</i> FMRFAMIDE-RELATED PEPTIDES, <i>Ruthann Nichols</i>	485
POPULATION-LEVEL EFFECTS OF PESTICIDES AND OTHER TOXICANTS ON ARTHROPODS, <i>John D. Stark and John E. Banks</i>	505
BELOWGROUND HERBIVORY BY INSECTS: INFLUENCE ON PLANTS AND ABOVEGROUND HERBIVORES, <i>Bernd Blossey and Tamaru R. Hunt-Joshi</i>	521
GRASSES AND GALL MIDGES: PLANT DEFENSE AND INSECT ADAPTATION, <i>M. O. Harris, J. J. Stuart, M. Mohan, S. Nair, R. J. Lamb, and O. Rohfritsch</i>	549
ANALYSIS AND FUNCTION OF TRANSCRIPTIONAL REGULATORY ELEMENTS: INSIGHTS FROM <i>DROSOPHILA</i> , <i>David N. Arnosti</i>	579
INDEXES	
Subject Index	603
Cumulative Index of Contributing Authors, Volumes 39–48	633
Cumulative Index of Chapter Titles, Volumes 39–48	637

ERRATA

An online log of corrections to *Annual Review of Entomology* chapters may be found at <http://ento.annualreviews.org/errata.shtml>

RELATED ARTICLES

From the *Annual Review of Ecology and Systematics*, Volume 33 (2002)

Saproxyllic Insect Ecology and the Sustainable Management of Forests,
Simon J. Grove

Troubleshooting Molecular Phylogenetic Analyses, Michael J. Sanderson
and H. Bradley Shaffer

The Causes and Consequences of Ant Invasions, David A. Holway,
Lori Lach, Andrew V. Suarez, Neil D. Tsutsui, and Ted J. Case

The (Super)Tree of Life: Procedures, Problems, and Prospects,
Olaf R.P. Bininda-Emonds, John L. Gittleman, and Mike A. Steel

Homogenization of Freshwater Faunas, Frank J. Rahel

The Role of Animals in Nutrient Cycling in Freshwater Ecosystems,
Michael J. Vanni

The Evolution and Maintenance of Androdioecy, John R. Pannell

Mast Seeding in Perennial Plants: Why, How, Where? Dave Kelly
and Victoria L. Sork

Phylogenies and Community Ecology, Campbell O. Webb, David D. Ackerly,
Mark A. McPeck, and Michael J. Donoghue

The Quality of the Fossil Record: Implications for Evolutionary Analyses,
Susan M. Kidwell and Steven M. Holland

Herbivore Offense, Richard Karban and Anurag A. Agrawal

*Estimating Divergence Times from Molecular Data on Phylogenetic and
Population Genetic Timescales*, Brian S. Arbogast, Scott V. Edwards,
John Wakeley, Peter Beerli, and Joseph B. Slowinski

From the *Annual Review of Genetics*, Volume 36 (2002)

Directions in Evolutionary Biology, R. C. Lewontin

*Genetics of Motility and Chemotaxis of a Fascinating Group of Bacteria:
The Spirochetes*, Nyles W. Charon and Stuart F. Goldstein

Meiotic Recombination and Chromosome Segregation in Drosophila Females,
Kim S. McKim, Janet K. Jang, and Elizabeth A. Manheim

Chromosome Rearrangements and Transposable Elements,
Wolf-Ekkehard Lönnig and Heinz Saedler

Transvection Effects in Drosophila, Ian W. Duncan

Estimating F-Statistics, B. S. Weir and W. G. Hill

From the *Annual Review of Microbiology*, Volume 57 (2003)

Climate and Infectious Disease, Joan B. Rose

Natural Born Killers: Theory and Applications of Biological Control,
Raghavan Charudattan

Termite Gut Microbiology, John A. Breznak

From the *Annual Review of Phytopathology*, Volume 40 (2002)

Evolutionary Ecology of Plant Diseases in Natural Ecosystems,
Gregory S. Gilbert

Making an Ally from an Enemy: Plant Virology and the New Agriculture,
Gregory P. Pogue, John A. Lindbo, Stephen J. Garger, and
Wayne P. Fitzmaurice

Gene Expression in Nematode Feeding Sites, Godelieve Gheysen
and Carmen Fenoll

Phytochemical Based Strategies for Nematode Control, David J. Chitwood

SUBJECT INDEX

A

- Aboveground herbivores, 521-47
 - interaction with belowground, 534-37
- ac96* gene, 211, 226
- Acadia confusa*, 376
- A. koa*, 376
- Acanthoscelides obtectus*, 165, 172-73
- Acanthosomatidae, 31
- Acari, 185-209
- Acaridae, 193, 196
- Acarioidea, 187
- Acceleration
 - defined, 30n
- Accessory gland secretions
 - biochemical approaches to, 165-67
 - biochemistry of, 165-67
 - male, 163-84
- Accessory reproductive glands (ARGs), 164, 166, 168-73, 176-77
 - secretions of, 176-77
- Acer pseudoplatanus*, 33
- Acetylcholine (ACh), 344-45, 347
- Acetylcholinesterase (AChE), 344, 356
- AcMNPV
 - See *Autographa californica* NPV
- Acp26Aa peptide, 167, 175-76
- Acp36DE protein, 166, 172
- Acp62F peptide, 167, 177
- Acrididae, 463
- Acrobasis vaccinii*, 273
- Acrosternum hilare*, 40, 43
- Actitis hypoleucos*, 202
- Active methods for managing
 - agricultural insects, 267-74
 - combination methods, 273-74
 - electromagnetic radiation, 271-73
 - mechanical methods, 267-69
 - miscellaneous treatments, 273
 - thermal methods, 269-71
- Activity
 - of FMRFamide-containing peptides, 490-91
 - of myosuppressin peptides, 492-94
 - of sulfakinin peptides, 497
- Acyrtosiphon pisum*, 246, 511-12
- Adalia bipunctata*, 379
- Adaptation
 - of insects in grasses and gall midges, 549-77
 - physiological, to the avian habitat, 191-92
- Adaridae, 187
- Adelgidae, 406
- ADP, 79, 81
- ADP-degrading enzyme, 145
- Aedes*, 19, 78-79, 81, 168
- Ae. aegypti*, 80, 146, 149-50, 152, 166, 168, 173, 176, 237, 239, 245
- Ae. albopictus*, 237
- Ae. taeniorhynchus*, 173
- Aegilops*, 554
- Aeroglyphidae, 187
- AFLPs
 - See Amplified fragment length polymorphisms
- Agallia*, 43
- Agalliopsis*, 43
- Agapeta zoegana*, 525
- Agricola, 523
- Agricultural insects
 - management with physical control methods, 261-81
- Agropyron*, 554
- Alcyrodidae, 410
- Alectura lathami*, 198
- Allonemobius*, 246
- Alloptes phaethornis*, 192
- Alloptidae, 192, 195, 201
- Alternaria*, 194
- Alternative population growth rate methods, 512
- Altica carduorum*, 369
- Alydidae, 32
- Alzheimer's disease, 347
- Amazon Basin, 125
- Amblyomma americanum*, 80
 - as a vector of pathogens affecting humans in the United States, 307-37
- Amblyomma*
 - americanum*-associated Ehrlichioses, 313-19
 - in domestic animals, 319
 - historical perspectives, 313-14
 - reservoir hosts for, 315
 - in transmission of *E. chaffeensis* and *E. ewingii*, 314-15
 - in white-tailed deer, 316
 - in wildlife, 316-19
- Amblyomma*-transmitted Ehrlichiae
 - reservoir hosts for, 315
- Amblyopone*, 286, 289, 298-99

- A. pallipes*, 286, 293, 295
A. silvestrii, 292
 Amblyoponini, 286, 295
 Ameiotic parthenogenesis, 414
 Ameroseiidae, 186
 Amino acids
 from plants, 458–60
 AMP, 79, 81
Amphicalvolia hurdi, 188
 Amphimixis
 obligate, 414
 Amplified fragment length
 polymorphisms (AFLP), 236–38, 566
Amrasca, 43
An. gambiae as a model
 system, 129
Analges, 195
A. passerinus, 201
 Analgidae, 192–93, 195, 201
 Analginae, 192
 Analgoidea, 187–90, 196
Anaplasma phagocytophilia, 313–14, 320
Anastatus sp., 376
 Ancestral ecology
 of termites, 288
 Ancestral life histories
 of ants and termites, 288–89
 Aneuretinae, 285
Aneuretus simoni, 285, 292, 294–95
Aneurolepidum, 555
Anisodiscus, 195
Anisopteromalus calandrae, 268
Anisota stigmata, 375
 Anopheles, 78–79
An. albimanus, 123–25, 239
An. arabiensis, 120–25
An. bwambae, 122
An. darlingi, 125–26
An. dirus, 114, 126, 155
An. farauti s.s., 117
An. funestus, 124, 129
An. gambiae, 111, 118–22, 124, 127–30, 146–47, 151, 237, 239–40, 244–45, 248, 595
 databases on, 250–51
An. maculatus, 126
An. maculipennis, 116
An. melas, 122
An. merus, 122, 130
An. minimus, 113–14
An. nuneztovari, 125
An. pseudopunctipennis, 117, 125
An. punctulatus, 114, 117, 147
An. quadriannulatus, 121
An. quadriannulatus B, 121
An. stephensi, 82, 146, 150–52, 245
An. sudaicus, 113–14
 Anopheles Database (AnoDB), 250
 Anopheles Genome Sequencing Consortium, 128
 Anophelinae, 115–17, 129
 Anseriformes, 201
 Antennal systems, 99–102
 in hemimetabolous insects, 99–100
 in holometabolous insects, 100–2
 in neural development in insects, 99–102
Anthonomus grandis, 172, 427
 Ants
 basal systematics, 285–86
 comparative social biology of, 283–306
 disease risk, 300
 division of labor, 292–95
 evolution of resistance, 300
 evolutionary pathobiology, 296–97
 foraging biology, 295–96
 inferences regarding ancestral life histories, 288–89
 interfamilial relationships, 286–87
 origin, 285–86
 reproductive plasticity, 289–92
 reproductive structure, 298–99
 research needed, 300
 serial reproductive inheritance by kin, 299
 social organization, 300
 Aphididae, 406
 Aphidoidea, 406
 Aphids, 406
 in North America, *Coccinella septempunctata* (C7) against, 378–79
Aphis craccivora, 345, 355
A. fabae fabae, 535
A. spiraeicola, 265
 APHIS (USDA), 272, 367
Aphytis, 413
 Apical multivesicular body, 7
 Apical-polarized vacuoles, 21–22
 creating gradients and coordinating growth, 21
Apis mellifera, 170, 238–39, 240, 244, 247, 345, 355
 databases on, 250
Aplysia californica, 165
 Apodiformes, 201
 Apomictic pseudogamy, 415
 Apomixis, 414
 Applied entomology, 251–53
 the genomic approach, 251–53
 Aprionini, 407
Arabidopsis, 550, 552, 564
 Arachnida, 269
Araptus, 411
Aratinga holochlora, 201–2
 Archostemata, 406

- Archotermopsis wroughtoni*, 287, 291, 294
Archytas marmoratus, 57–58, 64
Ardeacaracus ardeae, 194
 ARG
 See Accessory reproductive glands
Argasidae, 186
Armigeres subalbatus, 237
 Arrhenotokous haplodiploidy, 414
 conversion to thelytoky by *Wolbachia*, 403–4
 Arrhenotoky, 414
 Arthropod saliva
 in blood feeding, 73–88
 Arthus reaction, 78
 Artificial root herbivory
 compared with natural, 530–31
 Artiodactyla, 319
Ascaris, 176
Ascidae, 186
Ascouracaridae, 194, 197
 Asian rice gall midge, 554
Aspidiotus nerii, 413
 Associative learning
 in chemoreception, 472
Asteraceae, 367
 Astigmata, 185–209
Athalia rosae, 238
 Atmospheres
 controlled, for managing agricultural insects, 273
 modified, for managing agricultural insects, 273
 ATP, 74–75, 78–79, 81
 Attractiveness
 reduction of female, 167–70
Auchenorrhyncha, 32, 37, 40–41, 43
 Australasia, 117
 Australia, 114, 370, 375, 524
Autographa californica NPV (AcMNPV), 213–17, 219–21
 Automictic pseudogamy, 415
 Automixis, 414
 Autophagy, 15–18
 basal lamina turnover in phagocytic vacuoles, 16
 isolation envelopes and organelle-specific turnover in phagocytic vacuoles, 15–16
 lamellar bodies and fat body membrane turnover, 18
 multivesicular bodies and cuticle uptake, 17
 multivesicular bodies and membrane turnover in the molt cycle, 16–17
 multivesicular bodies in the fat body, 17–18
 organelle-specific, 16
 organelle-specific autophagy, 16
 Auxiliary proteins, 215–16
Avena sativum, 561
Avenzoariidae, 194–95
 Avirulent larvae
 plant reactions to attack by, 559
 Axons
 glial ensheathment of, 103–4
- ## B
- BAC (bacterial artificial chromosome), 238
 libraries of, 239
Bacillus, 405
B. atticus, 406
B. linceorum, 405
B. thuringiensis (Bt), 238, 375
B. th. subsp. *tenebrionis*, 264
B. th. var. *kurstaki*, 267
B. whitei, 405
 BACPAC site, 251
 Bacteria associated with
 Amblyomma americanum, 310–13
 “*Borrelia lonestari*,” 313
 Coxiella burnetii, 313
 Francisella tularensis, 311–12
 other spotted fever group Rickettsiae, 312–13
 Rickettsia rickettsii, 312
Bactrocera curcurbitae, 373
B. dorsalis, 373
Baculoviridae, 211–34
 Baculoviruses
 core gene cluster, 226–27
 DNA repair systems in, 225–26
 genome sequence and evolution of, 211–34
 Balancing nutrition
 from plants, 462–63
 Bamako, 118–21
Barypeithes pallidus, 522
 Basal lamina turnover
 in phagocytic vacuoles, 16
 Basal promoter elements, 582–84
 Batch processing
 by the Golgi complex, 12
 Bayer, 244
Bdellorhynchus, 194–96
 BDGP
 See Berkeley Drosophila Genome Project
 Beads
 arrangement in relation to function, 14
 and the formation of new Golgi complexes, 14
Beauveria bassiana, 60
 BEE-dBEST, 250
 Behavior of feather mites, 192–200
 diet, 193–95
 host colonization and movements within the

- host, 198–200
 life cycle, 192–93
 mating and oviposition, 195–98
 Belize, 125
 Belowground herbivores, 521–47
 comparing natural and artificial root herbivory, 530–31
 database, 523–25
 effect of root feeders on plant physiology, 527–31
 interaction with aboveground, 534–37
 root feeders as biological weed control agents, 531–33
 root herbivores as pests, 525–27
Bemisia argentifolii, 52, 63, 345, 355–56
B. tabaci, 269, 356
 Bending waves
 defined, 29–30n
 Benin, 121
 Berkeley Drosophila Genome Project (BDGP), 240, 594
 Binding subsites, 353
 Biochemical approaches
 to accessory gland secretion, 165–67
 complete elucidation of the structural and regulatory components of the isoprenoid pathway in the Scolytidae, 441–42
 to the structural and regulatory components of the isoprenoid pathway in the Scolytidae, 441–42
 See also Protein biochemistry
 Biochemical methods, 114
 Biochemical studies
 of isoprenoid pheromone production in the Scolytidae, 428–32
 of regulation through JHIII and feeding, 437–39
 Biocontrol introductions
 retrospective analyses to reduce risk associated with, 365–96
 Biogeography, 117–18
 Bioinformatics, 595
 Biological control
 case histories in, 367–81
 emergent patterns, 381–87
 nontarget effects, 365–96
 recommendations based on case histories reviewed, 387–89
 retrospective analyses to reduce risk associated with, 365–96
 Biosis, 523
 Bird association
 evolution of, 190
Bironella, 115–16, 118
 Bissau, 118
Blaberus craniifer, 99
 BLAST searches, 250
 BLASTN searches, 250
 Blattaria, 286
Blattella germanica, 355, 433, 435, 497
 Blattodea, 473
 Blood feeding, 44, 149–54
 egg production and the blood meal, 150–51
 and manipulation of egg production, 153–54
 mechanisms underlying fecundity reduction, 151–53
 reduced in *Plasmodium*-infected mosquitoes, 149
Bombyx mori, 237, 239, 246, 460, 462, 464, 468, 471
 databases on, 250
Bombyx mori NPV (BmNPV), 216–17, 220–21
B. terrestris, 238
Boophilus microplus, 240
 Boreoeutheria, 118
Borrelia burgdorferi, 308, 313
B. lonestari, 307, 311, 313
 "Borrelia lonestari," 313
Bothrosternus, 411
 Boundary elements, 584
 Bovidae, 319
Brachycerinae, 372
Bracon, 246
B. hebetor, 238
Brassica spp., 526
B. oleracea, 378
 Brazil, 126
Brephosceles, 201
Brevipalpus chilensis, 267
Brugia malayi, 245
B. pahangi, 152
 Bt
 See *Bacillus thuringiensis*
 "Bull's fever," 308–9
Bungarus multicinctus, 345
 Burkina Faso, 119, 121
Busseola fusca, 269
- C**
- C7
 See *Coccinella septempunctata*
 CA
 See *Corpora allata*
Cacopsylla pyricola, 265
Cactoblastis cactorum
 against *Opuntia* spp., 370–71, 384–88
 Cactoidea, 370
Caenorhabditis elegans, 243, 248, 251, 495
 Cajanus cajan, 271
Calliphora, 19
Callosamia promethea, 375
Callosobruchus maculatus, 271

- Caloglyphus berlesei*, 196
Calpodex ethlius, 2, 9–10, 14, 16, 19, 22
 Cameroon, 119–20
 cAMP mediation, 104
Campoletis sonorensis, 57–58
 Canada, 263, 567
 Canidae, 319
Canis lupus, 328
 Capacitation
 sperm, 171
Capra hircus, 319
Capsella bursa-pastoris, 527, 534–35
 Carabidae, 269
 Carbohydrates
 from plants, 460
Cardamine diphylla, 377–78
C. pratensis, 535
Cardiophiles nigriceps, 58
 Carduinae, 367
Carduus spp., 367–68
C. nutans, 367–68
C. personata, 368
 Caribbean, 125
 Carnivora, 319
Carpodacus mexicanus, 202
Carpodina niponensis, 342
 Case histories in biological
 control of insects,
 371–81
Coccinella septempunctata
 (C7) against aphids in
 North America, 378–79
Compsilura concinnata
 against gypsy moth,
 374–75
Microctonus spp. against
 forage weevils in New
 Zealand, 372–73
 parasitoid infiltration of a
 native food web in
 Hawai'i, 380–81
 parasitoids against *Nezara*
 viridula in Hawai'i,
 375–77
 parasitoids against *Pieris*
 rapae in New England,
 377–78
 parasitoids against tephritid
 fruit flies in Hawai'i,
 373–74
 Case histories in biological
 control of weeds,
 367–71
Cactoblastis cactorum
 against *Opuntia* spp.
 (prickly pear), 370–71
Larinus planus against
 Canada thistle, 369–70
Rhinocyllus conicus against
 exotic thistles, 367–68
 Casuariidae, 200
 Caudifera, 195
 Caudiferidae, 195
 CDC
 See U.S. Centers for
 Disease Control
 cDNA libraries, 80, 239–40,
 433
 cDNA sequences, 82, 130,
 251
 Cecidomyiidae, 551
 Cecidomyiinae, 556
 Celastraceae, 474–75
 Celera datasets, 250
Cellia, 115, 117–18, 129
Centaurea maculosa, 525
 Central African Republic, 121
 Central America, 125
 Central nervous system
 (CNS), 344, 349, 470
 excitation of, 475
 neuromeres, 96
 penetration into, 344–45
 processing of information
 in, 464–65, 472
 targets in, 90–92
Ceratitis capitata, 176, 266,
 373
 Cervidae, 319
Chagesia, 115–17
Chamaesphexia, 532
 Charadriiformes, 200–1
Cheiloceras cervus, 195–96
Cheiracanthium mordax, 376
 Chemoreception
 associative learning in, 472
 effects of mixtures, 467–70
 evolution of, 472–75
 feeding by phytophagous
 insects, 455–84
 host plant selection,
 470–72
 host plant selection in,
 470–72
 monitoring plant
 chemicals, 457–67
 role of the gustatory
 system in feeding, 475–76
 terminology, 457
Chenopodium album, 534–35
 Chetletidae, 187
 Cheyletiellidae, 187, 198
 Chile, 267
Chironomus, 19
Choristoneura fumiferana,
 459
C. rosaceana, 265
Chromatomyia syngensiae,
 535
 Chromosomal forms, 118–21
 Chronic toxicity studies, 508
Chrysococyx caprius, 198
Chrysolina brunsvicensis,
 465
 Chrysomelidae, 369, 458,
 532
Chrysopa carnea, 264
Chrysoperla carnea, 37
 Chrysopidae, 269
Cimex lectularius, 77–79
Cirsium spp., 367–68, 384
C. andrewsii, 369
C. arvense, 368–69
C. brevistylus, 369
C. canescens, 368
C. drummondii, 369
C. flodmanii, 368–69
C. foliosum, 369
C. hookerianum, 369

- C. palustre*, 368
C. remotifolium, 369
C. undulatum, 367, 369
C. un. var. *tracyi*, 367, 369
Citheronia spp., 375
Citrus, 413
Cladosporium, 194
 Classification of the major
 genetic systems of
 insects, 414–15
 mixed systems, 415
 obligate amphimixis, 414
 thelytoky, 414–15
 Cleaning methods
 for managing agricultural
 insects, 267–68
Cleistocactus, 370
Clinelymus, 555
 Cloacariidae, 187
 Clonality
 strict, 414
 Cloning *R* genes, 565
Cnaphalocrocis medinalis,
 342
 CNS
 See Central nervous system
 CNS/PNS boundary, 96
Coccinella novemnotata, 379
C. septempunctata (C7)
 against aphids in North
 America, 378–79, 387
C. transversoguttata, 379
 Coccinellidae, 269
 Coccoidea, 406, 410
Coccotrypes, 409
Cochliomyia hominivorax,
 165, 167
 Coevolution of mites and
 hosts, 200–2
 cospeciation, 200–2
 feather mites as parasites,
 202
 Cold storage
 for managing agricultural
 insects, 270
Coleomegilla maculata, 63,
 264, 379
 Coleoptera, 252, 408,
 414–15, 461, 463,
 532–33, 596
 EST sequencing projects,
 240
 genetic linkage maps, 238
Coleotichus blackburniae,
 376–77
 Collembola, 508
 Colombia, 125
 Colony structure
 in ants and termites,
 289–92
 Combined methods for
 managing agricultural
 insects, 273–74
 heat and controlled
 atmospheres, 273
 high pressure and modified
 atmospheres, 273
 modified atmosphere and
 packaging, 274
 Commissures
 longitudinal glia of the
 embryonic ventral nerve
 cord, 93–95
 and longitudinal tracts,
 91–96
 midline and longitudinal
 glia in the embryonic
 brain, 95–96
 midline glia of the
 embryonic ventral nerve
 cord, 91–93
 Communication with
 substrate-borne signals
 disturbance signals, 43–44
 long-range communication
 and orientation, 38–42
 sensory organs, 35–38
 short-range
 communication,
 courtship, and rivalry,
 42–43
 signal production, 31–33
 in small plant-dwelling
 insects, 29–50
 transmission through
 plants, 33–35
 Compact testis-specific
 promoter, 590–91
 Comparative genomics,
 223–27
 discovering functional
 linkage, 224–27
 the evolution of genome
 content, 223–24
 Comparative social biology
 of ants and termites,
 283–306
Compsilura concinnata
 against gypsy moth,
 374–75, 384, 386–87
 Concretions, 18–21
 heterophagy and protein
 granules, 20
 pigment vacuoles, 21
 vacuoles and granules for
 storing urate, 18–19
 vacuoles associated with
 glycogen, 20
 vacuoles for storing
 phenolics, 19–20
 vacuoles for symbionts,
 20–21
 Conflict
 reproductive, in ants and
 termites, 292
 Conflicting strategies
 in blood feeding, 81–82
Conotrachelus nenuphar, 265
 Constitutive defenses, 59–61
 Contagious thelytoky, 404
Contarinia tritici, 555
 Controlled atmospheres
 for managing agricultural
 insects, 273
 Coraciiformes, 200
 Core baculovirus genes,
 213–16
 auxiliary proteins/unknown
 function, 215–16
 DNA replication, 214–15
 lepidopteran vs. dipteran

- baculoviruses, 216
 structural proteins, 215
 transcription, 213–14
 Coreidae, 31, 33
 Corpora allata (CA), 169,
 173, 437–38
 Corpora cardiaca, 438
 Cospeciation, 200–2
Cotesia spp., 381, 384
C. glomerata, 377–78
C. marginiventris, 58, 380
C. rubecula, 377
 Courtship
 communication in, 42–43
 songs of, 42–43
Coxiella burnetii, 309, 313
 Crassulaceae, 474
 Cretaceous, 188, 190, 285–87
Cretomyrma, 285
Crotalaria, 465
 Cryphalini, 409
Cryptocarenum, 409
Cryptocercus, 286
Cryptolestes ferrugineus, 266
 Crypturoptidae, 195
 CUGI site, 251
Culex nigripalpus NPV
 (CuniNPV), 211, 213,
 216, 219–22
Cx. pipens, 237
Cx. quinquefasciatus, 176
Cx. tarsalis, 166
Cx. tritaeniorhynchus, 237
 Culicidae, 112, 115
Culicoides variipennis, 239
 CuniNPV
 See *Culex nigripalpus* NPV
Cupiennius salei, 41, 248
 Curculionidae, 367, 404, 408,
 411, 427, 532
 Cuticle secretion
 perimicrovillar spaces and,
 6–7
 Cyclic
 diploidiploidy-thelytoky,
 415
 Cyclic
 haplodiploidy-thelytoky,
 415
 Cyclic parthenogenesis, 415
 Cyclic thelytoky
 aphids, 406
 heteropezini, 407
 Micromalthus debilis,
 406–7
 Mycophila + *Tekomya*,
 407
 in oak and maple gall
 wasps, 407
 origins of, 406–7
Cydia pomonella, 220–21,
 265, 273, 342
 Cynidae, 31–33, 37, 43
 Cynipidae, 407
 Cynipini, 407
Cynodon dactylon, 554
Cyperus alternifolius, 34
 Cytoditidae, 187
 Cytogenetics, 113–14
- D**
- Dactylopius*, 367
Dalbulus, 43
Daphnia pulex, 510–11
Dasineura
 marginemtorquens, 561
 Databases, 523–25
 on *Anopheles gambiae*,
 250–51
 on *Apis mellifera*, 250
 of belowground herbivory
 by insects, 523–25
 and bioinformatics, 248–51
 on *Bombyx mori*, 250
 See also Libraries
 Decapentaplegic (Dpp)
 factor, 98
 Decapoda, 212
 Defenses
 constitutive, 59–61
 induced, 61–62
 Delayed-type hypersensitivity
 (DTH), 76–78
Delia spp., 526, 528
D. floralis, 528, 530
D. radicum, 264, 471, 528
Delphastus pusillus, 63
 Democratic Republic of
 Congo, 120
 Demographic toxicological
 studies
 examples of, 510
 Demography
 in the evaluation of
 toxicity, 510–11
Dendroctonus spp., 427,
 429–30, 437
D. brevicornis LeConte, 430,
 435
D. frontalis Zimmerman, 431
D. jeffreyi Hopkins, 430–36,
 439–41, 443
D. ponderosae Hopkins,
 430–31, 435
D. pseudotsugae, 435
D. rufipennis, 431
D. valens LeConte, 430, 435
Dermacentor andersoni, 308
D. variabilis, 308, 329
 Dermanyssidae, 186
Dermanyssus gallinae, 186
 Dermation, 192
 Dermationidae, 192, 194
Dermatophagoides spp., 190
 Dermoglyphidae, 193–94,
 200
 Desensitization
 of deterrent receptors, 467
 Detection
 thresholds of, 466–67
 Deterrent receptors
 desensitization of, 467
 Deterrents
 secondary compounds as,
 463–65
Diabrotica spp., 524, 528,
 530
D. virgifera, 465–66, 469,
 471, 526, 528
Diachasmimorpha tryoni, 373
 Diagnostics

- improved, in the
emergence of
Amblyomma-associated
Ehrlichioses, 325
Diaprepes abbreviatus, 265,
529
Diaspididae, 410
Dictyoptera, 286
Didelphis virginianus, 318
Diet, 60
 of feather mites, 193–95
Dinallortes, 195
Diomedecarus gigas, 192
Diploidy, 399, 414
 thelytoky alternating with,
 415
Diploidy-thelytoky
 facultative, 415
Diploidy-thelytoky
 cyclic, 415
Diptera punctata, 492
Diptera, 82, 112, 128, 167,
 212, 411, 414–15,
 532–33, 551, 596
 EST sequencing projects,
 240
 genetic linkage maps, 237
 genomic libraries and
 physical maps, 238–39
 microarrays, 247
 nuclear genome
 sequencing, 243–44
 QTL mapping, 245–46
Disease risk
 of ants and termites, 300
 See also individual disease
 conditions
Diseases
 emerging, 322–23
Displacement
 defined, 30n
Disturbance signals
 communication of, 43–44
Diuraphis noxia, 378
Division of labor
 in ants and termites,
 292–95, 298–99
DMS
 See Dromyosuppressin
 (DMS)
DMS antisera, 492
DNA-based markers, 112,
 114
DNA-based methods, 114–15
DNA fragmentation, 152
DNA helicase (p143) protein,
 214
DNA polymerase gene
 homologs, 212
DNA polymerase protein, 214
DNA repair systems
 in baculoviruses, 225–26
DNA replication, 214–15
DNA sequences, 115, 580
DNA viruses, 212
Dodonaea viscosa, 376
Dolichoderinae, 285
Domestic animals
 Amblyomma
 americanum-associated
 Ehrlichioses in, 319
Dominant frequency
 defined, 30n
DOPA agonists, 82
Dose response and
 determination of the
 LD₅₀ for acute
 exposures, 507–8
 chronic toxicity studies,
 508
 sublethal effects, 508
Double-stranded RNA
 (dsRNA), 248
Dromyosuppressin (DMS),
 491–92
Drosophila spp., 2, 21, 82,
 167, 235, 347–56, 413
 databases on, 250–52
 D. biarmipes, 175
 D. buzzatii, 239
 D. erecta, 239
 D. funebris, 165, 168, 177
 D. hydei, 593
 D. littoralis, 239
 D. mauritiana, 245
 D. melanogaster, 90–103,
 128–29, 164–66,
 168–77, 237–39,
 247–48, 251, 268, 345,
 433–35
 FMRamide-containing
 peptides, 486–91
 insights from, 579–602
 myosuppressin peptides,
 491–94
 sulfakinin peptides,
 494–97
 D. montana, 239
 D. pseudoobscura, 239, 595
 D. repleta, 239
 D. sechellia, 245
 D. simulans, 240, 245
 D. suzukii, 175
 D. virilis, 239, 488
 D. willistoni, 239
 Drosophila Genome Project,
 491
Dryocoetini, 408
DsRNA
 See Double-stranded RNA
DTH
 See Delayed-type
 hypersensitivity
Dubautia longicaudata, 373
D. menziesii, 373
D. tryoni, 374
Dubininia melopsittaci, 196
Dusts
 inert, for managing
 agricultural insects,
 265–66
Dynamics of reservoir host
 and *A. americanum*
 populations
 in the emergence of
 Amblyomma-associated
 Ehrlichioses, 323–25
E
 E. ewingii
 evidence for transmission

- by *A. americanum*, 314–15
- Eacles imperialis*, 375
- East Africa, 124
- Ecology
 - ancestral, of termites, 288
- Ecology of feather mites, 192–200
 - diet, 193–95
 - host colonization and movements within the host, 198–200
 - life cycle, 192–93
 - mating and oviposition, 195–98
- Effect of root feeders on plant physiology, 527–31
- EGF receptors, 95
- Egg development
 - regulation of, 172–74
- Egg parasitoids, 55–56
- Egg production
 - and the blood meal, 150–51
 - manipulation of, 153–54
- Ehrlichia* spp., 313–14, 318
- E. canis*, 313–14
- E. chaffeensis*, 307, 314–21, 324, 327–28
 - evidence for transmission by *A. americanum*, 314–15
- E. ewingii*, 307, 314–15, 319, 324
- E. ewingii* ehrlichiosis (EWE), 320–22, 325, 327
- E. phagocytophilia*, 313–14
- Electromagnetic radiation
 - for managing agricultural insects, 271–73
- Electromagnetic radiation for managing agricultural insects, 271–73
- infrared heating, 272
- irradiation, 272
- radio frequency heating, 272
- Elicitor-receptor model, 564–65
- Elymus*, 554
- Embryonic ventral nerve cord
 - longitudinal glia of, 93–95
- Emergence of
 - Amblyomma*-associated Ehrlichioses, 321–28
 - the concept of emerging disease, 322–23
 - dynamics of reservoir host and *A. americanum* populations, 323–25
 - expansion of highly susceptible human subpopulations, 325–27
 - improved diagnostics and surveillance, 325
 - recent clinical recognition or new diseases, 321–22
 - technology, land use, and human activities, 327–28
- Emerging disease
 - Amblyomma*-associated Ehrlichioses, 322–23
- Empoasca*, 43
- E. fabae*, 265
- E. lutea*, 269
- Encarsia formosa*, 52–53
- Enchenopa binotata*, 41, 43
- Endoplasmic reticulum (ER), 3, 11–13
- Enhancer activity
 - models of, 586–87
- Enhancer-promoter
 - interactions
 - shared or exclusive, 588–89
- Enhancers, 585–90
 - defined, 585–86
 - pattern generation by, 587–88
 - redundant, 589–90
- Enoplops scapha*, 33
- ENSEMBL web site, 250
- Ensina sonchii*, 373
- Entimini, 404
- Entomology
 - applied, 251–53
 - genomics in, 235–60
- Entomoscelis americana*, 457–58, 461, 465
- Entrez Map Viewer, 250
- Eocene, 190
- Ephestia elutella*, 266
- Epidemiological
 - implications, 129–30
- Epidermoptidae, 192, 194, 198
- Epipedobates tricolor*, 343
- Epiphyas postvittana*, 220–21
- Epstein-Barr virus, 80
- ER
 - See Endoplasmic reticulum
- Eretmocerus mundus*, 269
- Ereynetidae, 187
- Eriborus sinicus*, 380
- Erythrura gouldiae*, 186
- Escherichia coli*, 225
- EST (expressed sequence tag), 239–43
 - Coleoptera, 240
 - databases of, 239–42, 250
 - Diptera, 240
 - Hymenoptera, 240
 - Lepidoptera, 240
- Estigmene acrea*, 465
- Eucelatoria bryani*, 57–58
- Euderus metallicus*, 373
- Eudytula minor*, 200
- Euglycyphagidae, 187
- Euonymus*, 471
- Euphorbia* spp., 532
- Euproctis chrysorrhoea*, 374
- Eurosta comma*, 535
- Eustathiidae, 201
- Eutreta xanthochaeta*, 373–74
- Evolution
 - of bird association, 190
 - of chemoreception, 472–75
 - of genome content, 223–24, 405
- Evolution of alternative

- genetic systems in
insects, 397-423
- classification of the major
genetic systems of
insects, 414-15
- extrazygotic inheritance,
411-13
- the major genetic systems
of insects, 398-401
- major patterns in the
evolution of insect genetic
systems, 402
- origins of cyclic thelytoky,
406-7
- origins of haplodiploidy,
407-11
- origins of obligate
thelytoky, 402-6
- research needed, 413-14
- Evolution of *cis*-regulatory
elements, 592-94
- functional analysis, 592-93
- sequence analysis, 593-94
- Evolution of resistance
of ants and termites, 300
- Evolutionary genomics, 129
- Evolutionary pathobiology
of ants and termites,
296-97
- EWE
See *Ehrlichia ewingii*
ehrlichiosis
- Exclusive enhancer-promoter
interactions, 588-89
- Exelixis, 244
- Expansion of highly
susceptible human
subpopulations
in the emergence of
Amblyomma-associated
Ehrlichioses, 325-27
- Expressed sequence tag
See EST
- Extrazygotic inheritance,
411-13
- additional maternal
genomes, 412-13
- additional paternal
genomes, 412
- F**
- Facultative
diploidiploidy-thelytoky,
415
- Facultative
haplodiploidy-thelytoky,
415
- Facultative parthenogenesis,
415
- Fagus silvatica*, 560
- Fainalges*, 201
- Falculifer*, 194-95
- Falculiferidae, 193-95
- Fat body membrane turnover
lamellar bodies and, 18
- Feather mites, 185-209
- coevolution of mites and
hosts, 200-2
- ecology and behavior of,
192-200
- evolution of bird
association, 190
- fossil record, 188
- mites associated with birds,
186-87
- morphological and
physiological adaptations
to the avian habitat,
191-92
- origins and relationships,
188-90
- phylogenetic relationships,
188-90
- research needed, 202-3
- Fecundity, 149-54
- egg production and the
blood meal, 150-51
- manipulation of egg
production, 153-54
- mechanisms underlying
fecundity reduction,
151-53
- reduced in
Plasmodium-infected
mosquitoes, 149
- Fecundity-enhancing
substances (FES), 172,
174
- Fecundity reduction
in the fat body, 152-53
- mechanisms underlying,
151-53
- in the ovary, 152
- in *Plasmodium*-infected
mosquitoes, 149
- Feeding by phytophagous
insects, 455-84
- associative learning, 472
- effects of mixtures, 467-70
- evolution, 472-75
- host plant selection,
470-72
- monitoring plant
chemicals, 457-67
- role of the gustatory
system in, 475-76
- terminology, 457
- Felis concolor*, 328
- Female refractoriness and
reduction of
attractiveness
induction of, 167-70
- Female reproductive
physiology and behavior
modulators of, 163-84
- Fences
for managing agricultural
insects, 264
- Ferritin distribution
in RER and SER, 9
- FES
See Fecundity-enhancing
substances
- FGF receptors, 103-4
- Flaming
for managing agricultural
insects, 271
- Flooding
for managing agricultural
insects, 273
- Florida, 370-71

- FlyBase, 250
- FMRFamide-containing peptides, 486–91
- activity of, 490–91
- gene, 487–88
- peptides, 486–87
- spatial and temporal distribution, 488–90
- Food Quality and Protection Act (FQPA), 275
- Fopius arisanus*, 373
- Forage weevils in New Zealand
- Microctonus* spp. against, 372–73
- Foraging biology
- in ants and termites, 295–96
- Forest, 118–19
- Formicinae, 285, 297
- Fossil record, 188
- Fourier's Theorem, 30n
- fPPG, 145
- FQPA
- See Food Quality and Protection Act
- Francisella tularensis*, 311–12
- Frazzled, 93
- Frequency, 30n
- defined, 30n
- Freyana*, 194
- F. anatina*, 201
- Freyanella*, 192, 195
- Freyanidae, 190, 192, 194, 201
- Freyanoidea, 187–90
- Functional analysis
- of *cis*-regulatory elements, 592–93
- defined, 585–86
- Functional genomics, 244–48
- applications of, 251–52
- microarrays, 246–47
- QTL mapping, 245–46
- systematic gene disruption, 247–48
- Functional linkage, 224–27
- baculoviridae core gene cluster, 226–27
- lymantriid host-related factors, 226
- two putative DNA repair systems in baculoviruses, 225–26
- Fundamental frequency
- defined, 30n
- G**
- GadFly, 250
- Galerucella californiensis*, 536
- Gall midge larvae and plants, 559–62
- plant reactions to attack by avirulent larvae, 559
- plant reactions to attack by virulent larvae, 559
- Gall midge reproductive biology, 556–59
- genetics and sex determination, 556–57
- mating behavior, 557
- oviposition and dispersal, 558–59
- Gall midge resistance genes
- in agriculture, 566–68
- orange wheat blossom midge, 567–68
- rice gall midge and Hessian fly, 566
- Gall midge species, 554–56
- Asian rice gall midge, 554
- Hessian fly, 554–55
- orange wheat blossom midge, 555–56
- Gall midges
- AVR genes and grass *R* genes, 562–66
- larvae and plants, 559–62
- plant defense and insect adaptation, 549–77
- and plant galls, 553–54
- research needed, 568–70
- Galliformes, 198, 201
- Gallilichus jonesi*, 193, 197
- Gas chromatography (GC), 431
- Gaviiformes, 201
- GC
- See Gas chromatography; Golgi complexes
- GenBank, 80, 244, 249–50
- Gene content, 222
- Gene flow within species, 123–28
- apparent conflict or real consensus, 127–28
- geographic population structure, 124–26
- markers and natural selection, 123
- population size, 123–24
- remembrance of things past, 126
- Gene-for-gene concept, 562–64
- Gene Ontology classification system, 250
- Gene order, 219–22
- Gene sequences, 218–19
- Gene structure of *HMG-R*
- isolation and characterization of genes for isoprenoid pathway enzymes in the Scolytidae, 433–35
- "Generally recognized as safe" (GRAS) additives, 266
- Genes
- FMRFamide-containing peptides, 487–88
- myosuppressin peptides, 491–92
- sulfakinin peptides, 494–95
- GeneSeen Map Viewer, 250
- Genetic linkage maps, 236–38
- Coleoptera, 238
- Diptera, 237

- Hymenoptera, 238
 Lepidoptera, 237–38
- Genetic systems of insects, 398–401
 alternative, evolution of, 397–423
 diploidploidy, 399
 haploidploidy, 401
 hermaphroditism, 399
 mixed systems, 401
 thelytoky, 399–401
- Genetics
 and sex determination, 556–57
 See also Cytogenetics
- Genome content
 evolution of, 223–24, 405
- Genome phylogeny of
 baculoviruses, 216–23
 genomic characters for
 baculovirus phylogenies, 218–22
 a phylogeny of the
Baculoviridae, 222–23
- Genome sequence and
 evolution of
 baculoviruses, 211–34
 comparative genomics, 223–27
 core baculovirus genes, 213–16
 toward a genome
 phylogeny of
 baculoviruses, 216–23
- Genomic approach
 to applied entomology, 251–53
 to the structural and
 regulatory components of
 the isoprenoid pathway in
 the Scolytidae, 442–43
 See also Postgenomic era
- Genomic characters for
 baculovirus phylogenies, 218–22
 gene content, 222
 gene order, 219–22
 gene sequences, 218–19
 Genomic libraries, 238–39
 Diptera, 238–39
 Hymenoptera, 239
 Lepidoptera, 239
 and physical maps, 238–39
- Genomics, 594–95
 comparative, 223–27
 in entomology, 235–60
 evolutionary, 129
- Genoptera, 244
- Geocoris punctipes*, 63
- GEODIS2.0 program, 126
- Geographic population
 structure, 124–26
- Glial cells
 in insect nervous systems, 90–91
- Glial ensheathment
 of axons, 103–4
- Glossina mortisans mortisans*, 156
- Glycaceridae, 187
- Glycyphagoidea, 187
- Golgi complex beads
 and the formation of new
 GCs, 14
 location and arrangement
 of, 13
 at the RER-GC boundary, 12–13
 structure and chemistry of, 13–14
- Golgi complexes (GCs), 1–27
 apical-polarized vacuoles, 21–22
 autophagy, 15–18
 batch processing by, 12
 differences from
 vertebrates, 23–24
 posttransition region
 compartments, 11–15
 pretransition region
 compartments, 7–11
 storage vacuoles, granules,
 and concretions, 18–21
 surface membranes, 3–7
 surviving during mitoses, 15
 transepidermal transport
 and cuticle secretion, 22–23
- Gomphocerus rufus*, 167
- Gondwana, 117
- Gradients
 apical-polarized vacuoles
 creating, 21
 and the coordination of
 growth, 21
- Grammia geneura*, 457, 459,
 461, 465–66, 468–69,
 474
- Grand Cayman Islands, 371
- Granules, 18–21
 heterophagy and protein, 20
 for storing urate, 18–19
- Granulovirus* (GV), 211, 213,
 219–24
 need to revise, 227
- Grapholitha molesta*, 342
- GRAS
 See “Generally recognized
 as safe”
- Grass *R* genes and gall midge
AVR genes, 562–66
 cloning *R* genes, 565
 the elicitor-receptor model, 564–65
 the gene-for-gene concept, 562–64
- Grasses
 gall midge larvae and
 plants, 559–62
 gall midge reproductive
 biology, 556–59
 gall midge resistance genes
 in agriculture, 566–68
 gall midges and plant galls, 553–54
 plant defense and insect
 adaptation, 549–77
 research needed, 568–70
 rice and wheat, 552–53

- and the three gall midge species, 554–56
- Group velocity
defined, 29n
- Growth
apical-polarized vacuoles coordinating, 21
- Gruiformes, 201
- Gustatory system
role in feeding, 475–76
- GVs
See *Granulovirus*
- Gynes
in ants and termites, 289–92
- Gynogenesis, 415
- Gypsy moth
Compsilura concinnata against, 374–75
- H**
- Habrocytus elevatus*, 373
- Haematobia irritans*, 80
- Haplodiploidy, 401, 414
in Alcyrodidae, 410
arrhenotokous, 414
arrhenotoky, 414
in Hymenoptera, 409
in *Hypothenemus* and relatives, 408–9
in Iceryini, 410
in *Micromalthus debilis*, 408
in most Neococcoidea, 410–11
origins of, 407–11
other probable cases, 411
parental genome elimination, 414
in Sciaridae, 409
in Thysanoptera, 409
in Xyleborini and relatives, 408
- Haplodiploidy-thelytoky
cyclic, 415
facultative, 415
- Harmonia axyridis*, 379
- Harmonics
defined, 30n
- Harpyrhynchidae, 187, 201
- Hartigiola annulipes*, 560
- Hawai'i, 373–77, 380–81
- HDA
See Heteroduplex analysis
- Heat for managing
agricultural insects, 270, 273
infrared, 272
by radio frequency, 272
solar, 271
- Hedera helix*, 32
- Hedgehog (Hh) factor, 98
- Helicase* gene, 211, 226
- Helicoverpa armigera*, 169, 173, 238, 470
- H. armigera*, 220–21
- H. assulta*, 169
- H. zea*, 52, 54–61, 63, 169, 220–21, 340
larval parasitoids of, 56–58
- H. (= Heliothis) zea*, 54
- Heliothis subflexa*, 464
- H. virescens*, 55–59, 173, 238, 244, 246, 251, 464, 470
- Hematophagy, 144–49
examples from other infected vectors, 147–48
- Leishmania*-infected sandflies, 144–45
- malaria-infected mosquitoes, 145–47
- transmission from the vertebrate host, 148–49
- Hemiclonal inheritance, 415
- Hemileuca lucina*, 375
- H. maia maia*, 375
- H. oliviae*, 375
- Hemimetabolous insects
antennal systems in, 99–100
- Hemiptera, 38, 252, 414–15, 463
- Hemostasis
in blood feeding, 74
- Hepialus californicus*, 523, 536
- Herbivores
aboveground, 521–47
belowground, 521–47
- Hermaphroditism, 399
- Hessian fly, 554–55, 566
- Heterochromatin
promoters in, 591–92
- Heteroduplex analysis (HDA), 115
- Heteropeza*, 407
- Heteropezini, 407
- Heterophagy
and protein granules, 20
- Heteroptera, 32, 38, 43
- HFR
See Higher-frequency receptor neurons
- HGE
See Human granulocytic ehrlichiosis
- High performance liquid chromatography (HPLC), 431
- High pressure
for managing agricultural insects, 273
- Higher-frequency receptor (HFR) neurons, 36–37
- Higher level systematics, 115–18
- Hippodamia convergens*, 264
- Hirstia*, 190
- Historical perspectives
on *Amblyomma americanum*-associated Ehrlichioses, 313–14
- HIV
See Human immunodeficiency virus disease
- HME
See Human monocytic ehrlichiosis

- HMG-CoA
 See Hydroxy-methylglutaryl-CoA
- HMG-CoA reductase
 (HMG-R), 425, 432, 435-43
- Hodotermitidae, 286-88
- Holcostethus strictus*, 40
- Holoferritin, 9
- Holometabola, 409
- Holometabolous insects
 antennal systems in, 100-2
- Homalodisca coagulata*, 345, 349
- Homo sapiens* L., 434
- Host colonization
 and movements within the host, 198-200
- Host plant selection
 in chemoreception, 470-72
- Hosts
 coevolution of, 200-2
 See also Reservoir hosts
- Hot-water immersion
 for managing agricultural insects, 270-71
- HPLC
 See High performance liquid chromatography
- HR
 See Hypersensitive response
- Human activities
 in the emergence of *Amblyomma*-associated Ehrlichioses, 327-28
- Human granulocytic ehrlichiosis (HGE), 314, 320
- Human immunodeficiency virus (HIV) disease, 327
- Human monocytic ehrlichiosis (HME), 314, 320-22, 325, 327-29
- Hyalophora cecropia*, 19, 169, 248, 375
- Hybridization
 of species complexes, 121-23
 and thelytoky, 404-5
- Hybridogenesis, 415
- Hydroxy-methylglutaryl-CoA (HMG-CoA), 431
- Hylobius transversovittatus*, 528, 536
- Hymenolepis diminuta*, 153-54
- Hymenoptera, 212, 252, 294, 296, 409, 411, 414, 463
- EST sequencing projects, 240
- genetic linkage maps, 238
- genomic libraries and physical maps, 239
- microarrays, 247
- nuclear genome sequencing, 244
- QTL mapping, 246
- Hypera*, 372
- Hypericum hirsutum*, 465
- Hypersensitive response (HR), 561
- Hypodectes propus*, 187
- Hypoderidae, 193
 = Hypoderatidae
 = Hypodectidae, 187
- Hyposoter exiguae*, 59, 62
- Hypothenemus*
 and relatives, 408-9
- H. hampei*, 408-9
- HzSNPV, 213
- I**
- I-labeled synthetic SP, 168, 173, 176
- Icerya purchasi*, 412
- Iceryini, 410
- Ichneumonidae, 380
- IgE antibodies, 77
- IgG antibodies, 77-78
- IgG1 antibodies, 78
- IgG4 antibodies, 78
- IGS
 See Intergenic spacer
- IL-1 β , 75
- IL-4, 77
- IL-6, 75
- Imidacloprid (IMI), 340, 342-43, 352, 354
- Immunity
 in blood feeding, 76-78
- Immunology
 and protein biochemistry, 348-50
- Induced defenses, 61-62
- Induction of female refractoriness and reduction of attractiveness, 167-70
- Induction of ovulation and oviposition, 174-76
- Inert dusts
 for managing agricultural insects, 265-66
- Infection, 149-54
 egg production and the blood meal, 150-51
 fecundity reduction in *Plasmodium*-infected mosquitoes, 149
 malaria and mosquito longevity, 155
 manipulation of egg production, 153-54
 manipulation of survival, 156
 mechanisms underlying fecundity reduction, 151-53
 survival of infected tsetse flies, 156
 and survivorship, 154-56
- Inflammation
 in blood feeding, 75-76
- Infrared heating
 for managing agricultural insects, 272
- Ingrassia* sp., 200
- Inheritance
 extrazygotic, 411-13
 hemiclinal, 415

- Inorganic salts
from plants, 460-61
- Insect adaptation
in grasses and gall midges,
549-77
- Insect nicotinic acetylcholine
receptors, 347-50
immunology and protein
biochemistry, 348-50
molecular biology, 347-48
subtype diversity, 350
- Insects
case histories in biological
control of, 371-81
- Insertional mutagenesis
by transposable elements,
247-48
- Institute for Genomic
Research (TIGR), 250
- Intensity of vibration
defined, 30n
- Intercellular lymph spaces
plasma membrane reticular
systems and, 3-6
- Interfamilial relationships
of ants and termites,
286-87
- Intergenic spacer (IGS),
114-15
- Introgression
of species complexes,
121-23
- Ips* spp., 427, 429
- I. cembrae* Heer, 429-30
- I. duplicatus* Sahlberg, 429,
432
- I. grandicollis*, 430
- I. paraconfusus* Lanier,
429-33, 435, 437-43
- I. pini* Say, 429-33, 435-41,
443
- I. typographus*, 431
- Ireninus aequalis*, 372
- Irradiation
for managing agricultural
insects, 272
- Irrigation
overhead, for managing
agricultural insects, 273
- Isachne aristatum*, 554
- Isia isabella*, 468
- Isolation and characterization
of genes for isoprenoid
pathway enzymes in the
Scolytidae, 432-35
gene structure of *HMG-R*,
433-35
isolation of *HMG-R* and
HMG-S cDNAs, 432-33
- Isolation envelopes and
organelle-specific
turnover in phagic
vacuoles, 15-16
- Isolation of *HMG-R* and
HMG-S cDNAs
isolation and
characterization of genes
for isoprenoid pathway
enzymes in the
Scolytidae, 432-33
- Isoprenoid pathway enzymes
in the Scolytidae
isolation and
characterization of genes
for, 432-35
- Isoprenoid pathway in the
Scolytidae
biochemical approaches,
441-42
complete elucidation of the
structural and regulatory
components of, 441-43
genomics approaches,
442-43
structural and regulatory
components of the,
441-43
- Isoprenoid pheromone
production in the
Scolytidae
biochemical studies of
isoprenoid pheromone
production in the
Scolytidae, 428-32
- biochemistry and
molecular biology of
de novo, 425-53
complete elucidation of the
structural and regulatory
components of the
isoprenoid pathway in the
Scolytidae, 441-43
isolation and
characterization of genes
for isoprenoid pathway
enzymes in the
Scolytidae, 432-35
research needed, 443
studies of the site of
monoterpenoid
pheromone production,
435-36
studies of tile regulation of
monoterpenoid
pheromone production,
436-41
- Isoprenoid synthesis
major step *versus*
coordinate regulation of,
437
- Isoptera, 286-87, 297
- Ivory Coast, 121
- Ixodes pacificus*, 308
- I. ricinus*, 319
- I. scapularis*, 80, 82, 308,
313, 320
- Ixodida, 186
- J**
- Jalysus wickhami*, 63
- JH
See Juvenile hormone
- Jurassic, 285-6
- Juvenile hormone (JH), 165,
173
- Juvenile hormone III (JHIII),
425, 429, 435-43
- K**
- Kalotermitidae, 287-88, 291,
293

- kdr* (knock-down resistance) mutation, 120–21
Keiferia lycopersicella, 54–55
 Kenya, 124
Kerteszia, 115–17
Kiwialges palametricus, 193
 Knemidocoptidae, 187
Korscheltellus gracilis, 523
 Kramerellidae, 192, 195
Kyromyrmica neffi, 285
- L**
- LA
 See Ligation-anchored
- Labors
 division of, in ants and termites, 292–95
- Lachnoidius*, 410
- Lamellar bodies
 and fat body membrane turnover, 18
- Lamina turnover
 in phagocytic vacuoles, 16
- Laminosiptidae, 187
- Land use
 in the emergence of
Amblyomma-associated Ehrlichioses, 327–28
- Lardoglyphidae, 187
- Larinus planus*
 against Canada thistle, 369–70, 381–82, 386
- Lariophagus distinguendus*, 268
- Larval parasitoids
 of *H. zea*, 56–58
- Laupala*, 246
- LD₅₀
 See Median lethal dose
- Ld130 protein, 215
- Learning
 See Associative learning
- Leeuwenhoekidae, 186
- lef-1* protein, 214–15
- lef-2* protein, 214
- lef-5* protein, 211, 226
- Leishmania*, 141, 144–45, 147, 240
L. major, 81, 145
L. mexicana, 145
Leishmania-infected sandflies, 144–45
- Lepidoptera, 165, 169–70, 172, 212, 252, 374, 380, 415, 461, 463, 532–33, 596
- EST sequencing projects, 240
- genetic linkage maps, 237–38
- genomic libraries and physical maps, 239
- microarrays, 247
- nuclear genome sequencing, 244
- QTL mapping, 246
- Lepidopteran vs. dipteran baculoviruses, 216
- Leptinotarsa*, 19, 472
- L. decemlineata*, 54–55, 238, 356, 458, 462, 468–69
- Lestremiini, 407
- Lethality
 See Median lethal dose (LD₅₀); Sublethal effects
- Leucine-rich repeats (LRRs), 564
- Leucophaea maderae*, 491, 494
- Leukosulfakinin (LSK), 494
- LFR
 See Low-frequency receptor neurons
- Libraries
 of bacterial artificial chromosome, 239
- Life cycle
 of feather mites, 192–93
- Life histories
 ancestral, of ants and termites, 288–89
- Life table response experiments, 508–12
- alternative population growth rate methods, 512
- demography for evaluation of toxicity in, 510–11
- examples of demographic toxicological studies, 510
- Ligation-anchored (LA), 433
- Ligyris subtruncatus*, 528
- Lipara*, 38
- Liomyza huidobrensis*, 269
- L. trifolii*, 52, 269
- Listronotus bonariensis*, 372
- Litopenaeus*, 240
- Locusta migratoria*, 165, 345, 348, 458, 460–61, 475, 491
- Lolium perenne*, 529
- Long-range communication and orientation, 38–42
- Longitarsus jacobaeae*, 523, 537
- Longitudinal glia
 in the embryonic brain, 95–96
 of the embryonic ventral nerve cord, 93–95
- Longitudinal tracts, 91–96
- commissures and, 91–96
- longitudinal glia of the embryonic ventral nerve cord, 93–95
- midline and longitudinal glia in the embryonic brain, 95–96
- midline glia of the embryonic ventral nerve cord, 91–93
- Lophopodomys*, 115–17
- Low-frequency receptor (LFR) neurons, 36
- LRRs
 See Leucine-rich repeats
- LSK
 See Leukosulfakinin
- Lucilia cuprina*, 168, 511
- Lukoschoscopes asiaticus*, 194

- Lumbriconereis heteropoda*, 343
- Lupinus arboreus*, 523, 536
- Lutzomyia*, 78–79, 81
- L. longipalpis*, 81, 240
- Lycopersicon* spp., 52–53, 59
- L. esculentum*, 51–52, 54–63
- L. escul.* var. *cerasiforme*, 59
- L. hirsutum*, 52
- L. hir. f. glabratum*, 52–59, 63
- L. hir. f. typicum*, 53, 63
- L. hir. f. typicum*
(= *hirsutum*), 52
- L. pennellii*, 52, 63
- L. pimpinellifolium*, 59
- Lygaeidae, 31–32
- Lygus lineolaris*, 265, 269
- Lymantria dispar*, 169, 220–21, 226, 374
- Lymantriid host-related factors, 226
- Lyme borreliosis, 313, 320
- Lyme disease, 308
- Lythrum salicaria*, 528, 536
- M**
- Macrocallista nimbosa*, 486
- Macronyssidae, 186
- Macrosiphum euphorbiae*, 52, 61
- Major step versus coordinate regulation of isoprenoid synthesis, 437
- Malaria and mosquito longevity, 155
- Malaria-infected mosquitoes, 145–47
- Male accessory gland secretions
biochemistry of accessory gland secretion, 165–67
induction of female refractoriness and reduction of attractiveness, 167–70
induction of ovulation and oviposition, 174–76
modulators of female reproductive physiology and behavior, 163–84
other effects of accessory reproductive gland secretions, 176–77
regulation of egg development, 172–74
sperm-related functions, 170–72
- Mali, 119–21
- Malpighian tubules, 21, 166, 409
- Malus*, 474
- Mamestra brassicae*, 342, 459–60
- M. configurata*, 464, 469
- Management of agricultural insects
with physical control methods, 261–81
- Manduca* spp., 55–58
- M. sexta*, 54, 58, 60–61, 100–2, 240, 345, 348, 355, 456, 460, 462, 467, 469, 471, 491
- Manipulation
as a concept, 142–44
by parasites, 141–61
of survival, 156
- Mantodea, 286
- MAPK (mitogen-activated protein kinase)
activation, 104
- Maple gall wasps, 407
- Maps
genetic linkage, 236–38
See also Entrez Map Viewer; GeneSeen Map Viewer; Physical maps; QTL (quantitative trait locus) mapping
- Margarodidae, 410
- Marker-assisted selection (MAS), 566
- Markers
and natural selection, 123
- MAS
See Marker-assisted selection
- Mastotermes darwiniensis*, 291
- Mastotermitidae, 286–88
- Maternal genomes
additional, 412–13
- Mating
obligate, 414–15
- Mating behavior, 557
of feather mites, 195–98
- Mating plugs, 170
- Mayetiola* spp., 554
- M. avena*, 554
- M. bromicola*, 554
- M. destructor*, 239, 268, 552
- M. hordei*, 554
- M. secalis*, 554
- Mechanical methods for
managing agricultural insects, 267–69
cleaning, 267–68
mechanical impact, 269
pneumatic, 269
polishing, 268
pressure, 268
sound, 268
stalk destruction, 268–69
- Median lethal dose (LD₅₀), 507
- Medicago sativa*, 527, 530
- Medically important insect vectors
fecundity, blood feeding, and infection, 149–54
hematophagy, 144–49
infection and survivorship, 154–56
manipulation as a concept, 142–44
manipulation by their parasites, 141–61
- Megapodiidae, 198

- Megaselia abdita*, 248
Megninia casuaricola, 200
 Meiotic parthenogenesis, 414
Melanoplus sanguinipes, 165–66, 174
Meleagris gallopavo, 318
Melia toosendan, 468
Melitara dentata, 371
Melopsittacus undulatus, 202
 Membrane barriers
 vesicular, 7
 Mendel's laws
 switching on and off, 414
 Merothripidae, 409
Mesocricetus auratus, 434
 Mesostigmata, 186
 Mesozoic, 286
Meteorus laphygmae, 380
 MFR
 See Middle-frequency receptor neurons
Michaelichus, 195
 Microarrays, 246–47
 Diptera, 247
 Hymenoptera, 247
 Lepidoptera, 247
Microctonus spp.
 against forage weevils in New Zealand, 372–73, 381–82
M. aethiopoides, 372, 386
M. hyperodae, 372
Microlichus, 192
Micromalthus, 397, 407, 409
M. debilis, 406–7, 408
Microspalix, 195
 Microvesicles, 8
 Middle-frequency receptor (MFR) neurons, 36–37
 Midline glia
 in the embryonic brain, 95–96
 of the embryonic ventral nerve cord, 91–93
 Minimum infection rates (MIRs), 314–15
 Mississippi, 312
 MITES, 129
 Mites
 associated with birds, 186–87
 coevolution of, 200–2
 Mitogen-activated protein kinase
 See MAPK
 Mitochondrial DNA (mtDNA), 115, 117, 120, 124, 128, 243
 cytoplasmic, 122
 Mitochondrial genome sequencing, 243
 Mixed genetic systems, 401
 thelytoky alternating with diploidiploidy, 415
 thelytoky alternating with haploidiploidy, 415
 Modified atmospheres
 for managing agricultural insects, 273–74
 Modular enhancers
 and short-range repression, 590
 Modulators of female reproductive physiology and behavior, 163–84
 Molecular basis for activity and selectivity, 350–53
 binding subsites, 353
 structural requirements: "magic nitro or cyano," 351–52
 target site selectivity, 350–51
 Molecular biology, 347–48
 Molecular studies of regulation
 through JHIII and feeding, 439–41
 Molecular systematics of *Anopheles*
 from subgenera to subpopulations, 111–39
 Monitoring plant chemicals, 457–67
 in chemoreception, 457–67
 nutrients, 457–63
 plant secondary compounds, 463–67
 Monoterpenoid pheromone production
 studies of the site of, 435–36
 studies of tile regulation of, 436–41
 Mopti, 118–20
 Morphological adaptations to the avian habitat, 191–92
 Mosquito Genomics server, 250
 MR4 site, 251
 mRNA, 239, 247, 435–36, 438, 440–41
 mtDNA
 See Mitochondrial DNA
Muhlenbergia quadridentata, 536
 Mulches from artificial materials
 for managing agricultural insects, 264–65
 Muller elements, 237, 239
 Multiple endpoints of effects
 alternative population growth rate methods, 512
 demography for evaluation of toxicity, 510–11
 examples of demographic toxicological studies, 510
 measuring, 508–12
 Multivesicular bodies (MVBs), 16–20
 apical, 7
 and cuticle uptake, 17
 in the fat body, 17–18
 and membrane turnover in the molt cycle, 16–17
Musca, 167–68, 345, 349, 355
M. domestica, 165, 248, 340
 Mutagenesis

- insertional, by transposable elements, 247-48
- MVBs
See Multivesicular bodies
- Mycophila* + *Tekomyia*, 407
- Myialges*, 197
- Myosuppressin peptides, 491-94
activity of, 492-94
gene, 491-92
peptides, 491
spatial and temporal distribution, 492
- Myrmecia*, 285, 289, 294, 296, 299
- Myrmecinae, 285-86
- Myzus*, 347, 349-50, 355
- N**
- nAChR
See Nicotinic acetylcholine receptor (nAChR)
- NADH, 356
- NADPH, 354
- Nasonia giraulti*, 246
- N. vitripennis*, 246
- Native food web in Hawai'i
parasitoid infiltration of, 380-81
- Natural root herbivory
compared with artificial, 530-31
- Natural selection
markers and, 123
- NBS
See Nucleotide binding site domains
- NCBI
See U.S. National Center for Biotechnology Information
- Nearctic, 116
- Neobellieria bullata*, 491
- Neococcoidea, 410-11
- Neonicotinoid action
at vertebrate nicotinic receptors, 353-54
- Neonicotinoid-binding site, 345-46
- Neonicotinoids, 340-43
- Neonicotinoids attributable to
specificity of insect and mammalian nicotinic receptors
insect nicotinic acetylcholine receptors, 347-50
mode of action, 344-46
molecular basis for activity and selectivity, 350-53
neonicotinoids and nicotinoids, 340-44
research needed, 356-57
selective toxicity of, 339-64
toxicology mechanisms, 346-47, 353-56
vertebrate nicotinic acetylcholine receptors, 346-47
- Neopyrochroa flabellata*, 167
- Neotenicis*, 290-91
- Nephotettix cincticeps*, 341-42, 345
- Netrins, 93
- Neural development in insects
antennal systems, 99-102
commissures and longitudinal tracts, 91-96
glial cells in insect nervous systems, 90-91
glial ensheathment of axons, 103-4
key interactions between neurons and glial cells during, 89-110
neuronal survival, 102-4
research needed, 104
segmental and intersegmental nerves of the peripheral nervous system, 96-97
study of neuron-glia interactions, 91
- visual systems, 97-99
- Neuron-glia interactions, 91
- New Brunswick, Canada, 263
- New England, 377-78
- New Jersey, 285
- New technologies, 594-96
bioinformatics, 595
genomics, 594-95
phylogenetic analysis, 595-96
transgenesis in other systems, 596
- New Zealand, 200, 202, 372-73, 524
- Nezara viridula*, 31-32, 35-37, 40-41, 43
parasitoids against, in Hawai'i, 375-77, 385
- Nicaeana cervina*, 372
- Nicotinic acetylcholine receptor (nAChR), 339, 343-56
- Nicotinoids
and other alkaloids, 343
selective toxicity of, 340-44
terms and designations, 343-44
- Nigeria, 268
- Nihon Bayer Agrochem, 341
- Nitric oxide (NO)
role in neuron-glia interactions, 99
- No observable effect concentration (NOEC), 508
- Noctuidae, 169
- Nomuraea rileyi*, 60
- Non-Linnean names, 118
- Nontarget effects
of biocontrol introductions, 365-96
- Nontrichome defenses in *Lycopersicon*, 59-63
constitutive defenses, 59-61
effects on predators, 62-63

- induced defenses, 61–62
 North Carolina, 310
 North Dakota, 567
Nothomyrmecia, 289,
 298–300
N. macrops, 285, 290, 293,
 295, 299
N. myrmecia, 295
Nothomyrmecinae, 285
Notonecta sp., 36
 NPVs
 See
 Nucleopolyhedroviruses
 Nuclear genome sequencing,
 243–44
 Diptera, 243–44
 Hymenoptera, 244
 Lepidoptera, 244
Nucleopolyhedrovirus (NPV),
 211, 223
 need to revise, 227
 Nucleotide binding site
 (NBS) domains, 564
Nyssorhynchus, 115–17, 129
- O**
 Oak gall wasps, 407
 Obligate amphimixis, 414
 diploidiploidy, 414
 haploidiploidy, 414
 Obligate mating, 414–15
 Obligate thelytoky
 contagious thelytoky, 404
 conversion of
 arrhenotokous
 haplodiploidy to thelytoky
 by *Wolbachia*, 403–4
 genome evolution, 405
 hybridization and
 thelytoky, 404–5
 origins of, 402–6
 persistence of obligately
 thelytokous lineages,
 405–6
 Obligately thelytokous
 lineages
 persistence of, 405–6
- Occlusion bodies (OBs),
 212–13, 215
Oconnoriidae, 188
Oechalia, 376
 Oils
 for managing agricultural
 insects, 266–67
Oligonychus ilicis, 273
Onchocerca lienalis, 153
O. volvulus, 143
Oncopeltus fasciatus, 248
Oncopsis flavicollis, 37, 43
Onopordum acanthium, 367
Onychalges, 190
Opuntia spp.
 Cactoblastis cactorum
 against, 370–71, 387
O. corallicola, 371, 384, 386
O. fragilis, 371
O. stricta, 370–71
O. sulphurea, 370
O. triacantha, 370
 Opuntioideae, 370
 Orange wheat blossom
 midge, 555–56, 567–68
 Organelle-specific autophagy,
 16
 Organic mulch
 for managing agricultural
 insects, 264
Orygia pseudotsugata,
 220–21, 226
O. vetusta, 536
 Oribatida, 187
Orius insidiosus, 63
Ornithonyssus sylvarum, 186
 Orphan molecules
 in blood feeding, 82–83
Orseolia oryzivora, 554, 563
O. oryzae, 552
 Ortheziidae, 410
 Orthoptera, 170–71, 252,
 461, 463
Oryza spp., 554
O. sativa, 552
 OSS
 See Oviposition-stimulating
 substances
Otiiorhynchus sulcatus,
 530–31
Oulema melanopus, 268
 Overhead irrigation
 for managing agricultural
 insects, 273
 Oviposition
 and dispersal, 558–59
 of feather mites, 195–98
 induction of, 174–76
 Ovulation
 induction of, 174–76
 Ovulation-stimulating
 substances (OSS), 175
- P**
 PAC (P1 artificial
 chromosome), 238
 PACAP receptors, 78
 Packaging
 for managing agricultural
 insects, 274
 Palaearctic, 116
Palomena prasina, 40, 42–43
P. viridissima, 40, 42–43
Pandion haliaetus, 194
 Papua New Guinea, 147
Paracantha culta, 368, 386
Paralges pachynemis, 200
Paralgopsis, 190
 Parasites
 feather mites as, 202
 Parental genome elimination,
 414
 Parkinson's disease, 347
 Parthenogenesis
 ameiotic, 414
 cyclic, 415
 facultative, 415
 meiotic, 414
 thelytokous, 414–15
 Particle films
 for managing agricultural
 insects, 265
 Partnerships
 public/private, 252–53

- Passeriformes, 190, 200
 Passive methods for
 managing agricultural
 insects, 263-67
 fences, 264
 inert dusts, 265-66
 mulches from artificial
 materials, 264-65
 oils, 266-67
 organic mulch, 264
 particle films, 265
 surfactants and soaps, 267
 trapping, 266
 trenches, 263-64
 Pasteur Institute, 250
 Paternal genome elimination
 (PGE), 401, 406, 410,
 412
 germline, 408-9
 Paternal genomes
 additional, 412
 Pathobiology
 evolutionary, 296-97
 Pathogens affecting humans
 in the United States
 Amblyomma americanum
 as a vector of, 307-37
 Amblyomma
 americanum-associated
 Ehrlichioses, 313-19
 bacteria (other than
 Ehrlichiae) associated
 with *Amblyomma*
 americanum, 310-13
 epidemiology of
 Amblyomma-associated
 human Ehrlichioses,
 320-21
 factors in the emergence of
 Amblyomma-associated
 Ehrlichioses, 321-28
 natural history of
 Amblyomma americanum,
 309-10
 research needed, 328-29
 Pattern generation
 by enhancers, 587-88
 Patterns
 emergent, of biological
 control, 381-87
 in the evolution of insect
 genetic systems, 402
 PBAN
 See Pheromone
 biosynthesis-activating
 neuropeptide
 PCR
 See Polymerase chain
 reaction
 PCR-based subtractive
 hybridization, 80
 PEB-me, 170
Pectinophora gossypiella, 268
Pediaspidini, 407
Pemphigus
 populitransversus, 535
Penaeus monodon, 238, 240
 Pentatomidae, 31, 33, 43, 375
 Peptides
 FMRFamide-containing,
 486-87
 myosuppressin, 491
 sulfakinin, 494
Perillus bioculatus, 264
 Perimicrovillar spaces
 and cuticle secretion, 6-7
Periocryphalus, 409
 Peripheral nervous system
 (PNS)
 See CNS/PNS boundary
Periplaneta americana, 21,
 99, 101, 166, 172, 248,
 345, 355, 458
P. brunnea, 473
Peromyscus leucopus, 328
 Peroxisomes, 9-11
 Persistence
 of obligately thelytokous
 lineages, 405-6
 Pesticides and other toxicants
 dose response and
 determination of the LD₅₀
 for acute exposures,
 507-8
 effects on individuals,
 506-7
 endpoints of toxicological
 effect, 506-7
 measuring multiple
 endpoints of effects: life
 table response
 experiments, 508-12
 population age/stage
 structure and differential
 susceptibility among life
 stages, 512-13
 population-level effects on
 arthropods, 505-19
 PGE
 See Paternal genome
 elimination
 PGE₂ prostaglandins, 78
 Phagocytic vacuoles
 basal lamina turnover in,
 16
 Phagostimulants
 secondary compounds as,
 465
 Phase velocity
 defined, 29-30n
 Phasmatodea, 415
 Phenacoleachiidae, 410
 Pheromone
 biosynthesis-activating
 neuropeptide (PBAN),
 169
Phlebotomus, 78-79, 81
P. papatasi, 81
Phragmites communis,
 33
Phyllocnistis citrella, 267
Phyllophaga spp., 536
P. fimbripes, 536
 Phylloxerae, 406
 Phylogenetic analysis,
 595-96
 Phylogenetic genetic markers,
 128-29
 Phylogenetic relationships,
 188-90
 Phylogeny

- of the *Baculoviridae*, 222–23
 genome, of baculoviruses, 216–23
Phymata crassipes, 38
 Physical control of
 agricultural insects, 261–81
 active methods, 267–74
 passive methods, 263–67
 in relation to agricultural plant protection, 262–63
 Physical maps, 238–39
 Diptera, 238–39
 genomic libraries and, 238–39
 Hymenoptera, 239
 Lepidoptera, 239
 Physiological adaptations to the avian habitat, 191–92
 Phytophagous insects
 contact chemoreception in feeding by, 455–84
Phytoseiulus persimilis, 62–63
Picea abies, 430–31
 Piciformes, 201
Pieris spp., 465
P. brassicae, 458–59, 464, 466, 468, 470
P. napi oleracea, 377–78
P. rapae, 459, 471
 parasitoids against, in New England, 377–78
P. virginensis, 378, 381
 Piesmatidae, 31
Piezodorus lituratus, 33, 43
 Pigment vacuoles, 21
Pinus spp., 429
P. jeffreyi, 436–37
P. ponderosa Laws, 429
 PIR database, 250
Pissodes spp., 427
Pityokteines spp., 437
 Plant defense and insect adaptation, 549–77
 gall midge larvae and plants, 559–62
 gall midge reproductive biology, 556–59
 gall midge resistance genes in agriculture, 566–68
 gall midges and plant galls, 553–54
 grass *R* genes and gall midge AVR genes, 562–66
 the grasses, 552–53
 research needed, 568–70
 the three gall midge species, 554–56
 Plant galls
 gall midges and, 553–54
 Plant nutrients, 457–63
 amino acids, 458–60
 balancing, 462–63
 carbohydrates, 460
 inorganic salts, 460–61
 proteins, 458
 sterols, 462
 Plant reactions to attack
 by avirulent larvae, 559
 by virulent larvae, 559
 Plant secondary compounds, 463–67
 desensitization of deterrent receptors, 467
 secondary compounds as deterrents, 463–65
 secondary compounds as phagostimulants, 465
 thresholds of detection, 466–67
Platago, 465, 468
 Plasma membrane reticular systems and intercellular lymph spaces, 3–6
Plasmodium spp., 143, 155, 240
P. berghei, 146
P. falciparum, 146–47, 245
P. gallinaceum, 146, 149, 245
P. yoelii nigeriensis, 147–48, 150–51, 156
 Plataspidae, 31
Platyaster, 569
Platyplax salviae, 32
Plethodon cinereus, 522
Plutella xylostella, 220–21, 238, 273, 342, 466
 Pneumatic methods for managing agricultural insects, 269
 PNS
 See CNS/PNS boundary
Podisus maculiventris, 41, 60–61
 Polishing for managing agricultural insects, 268
 Polyembryony, 415
 Polyethism
 temporal, 293
 Polymerase chain reaction (PCR), 114, 433
 allele-specific, 115
 primer design, 128
 products of, 115
 Polymerase chain reaction (PCR) testing, 314, 316, 318–20
 Polymorphism
 temporal, 293
 Ponerinae, 285
 Population
 alternative growth rate methods, 512
 genetic markers, 128–29
 geographic structure, 124–26
 size, 123–24
 Population-level effects on arthropods, 505–19
 dose response and determination of the LD₅₀ for acute exposures, 507–8
 effects on individuals, 506–7
 endpoints of toxicological effect, 506–7

- life table response
experiments, 508–12
measuring multiple
endpoints of effects,
508–12
population age/stage
structure and differential
susceptibility among life
stages, 512–13
- Porricondylinae, 407
- Postgenomic era, 128–30
An. gambiae as a model
system, 129
epidemiological
implications, 129–30
evolutionary genomics, 129
phylogenetic and
population genetic
markers, 128–29
prospects in, 128–30
- Posttransition region
compartments, 11–15
batch processing by the
Golgi complex, 12
bead arrangement in
relation to function, 14
beads and the formation of
new GCs, 14
the Golgi complex, 11–12
Golgi complex beads at the
RER-GC boundary,
12–13
Golgi complex survival
during mitoses, 15
the location and
arrangement of GC beads,
13
the structure and chemistry
of the beads, 13–14
- Potato mosaic virus
See PVX
- Potato spindle tuber viroid
See PSTV
- Powell, JR, 112
- Premnobius*, 411
- Pressure
for managing agricultural
insects, 268, 273
- Pretransition region
compartments, 7–11
ferritin distribution in RER
and SER, 9
peroxisomes, 9–11
rough endoplasmic
reticulum, 8
smooth endoplasmic
reticulum, 8
transport across the nuclear
envelope, 7
vacuoles for iron storage in
derivatives of the RER, 9
- Principal frequency
defined, 30n
- Prionopelta*, 292
- P. amabilis*, 295
- Procecidochares utilis*, 373
- Procellaria aequinoctialis*,
187
- Procellariiformes, 201
- Proctolaelaps*, 186
- Proctophyllodes*, 194, 201,
202
- P. ampelidis*, 201
- Proctophyllodidae, 194–95,
201
- Procyon lotor*, 318
- Promoter elements
basal, 582–84
compact testis-specific,
590–91
in heterochromatin, 591–92
- Prostigmata, 186, 197
- Protein biochemistry
immunology and, 348–50
- Protein granules
heterophagy and, 20
- Proteins
from plants, 458
See also individual proteins
- Proteomes
salivary, in blood feeding,
80–81
- Protophormia terraenovae*,
457–58
- PS-1, 165
- Pseudococcidae, 410, 413
- Pseudogamy, 415
apomictic, 415
automictic, 415
- Pseudomonas syringae*, 61,
564
- Psidium guajava*, 373
- Psittaciformes, 201
- Psoroptidia, 187, 193
- PSTV (potato spindle tuber
viroid), 269
- Pterodectes rutilus*, 194
- Pterolichidae, 194–95, 200,
201
- Pterolichinae, 201
- Pterolichoidea, 187–90
- Pteronyssoides nuntiaevaris*,
194
- Public/private partnerships,
252–53
- Putoidae, 410
- PVDF membranes, 82
- PVX (potato mosaic virus),
269
- Pyralidae, 371
- Pyroglyphidae, 187–88, 190,
193
- Pyrrhocoridae, 36
- Pyrrhocoris apterus*, 36
- Q**
- Q fever, 309
- QTL (quantitative trait locus)
mapping, 245–46
Diptera, 245–46
Hymenoptera, 246
Lepidoptera, 246
- Quantitative trait loci (QTLs),
54
- R**
- RACE (rapid amplification of
cDNA ends), 80
- Radio frequency heating
for managing agricultural
insects, 272

- Random amplified
polymorphic DNA PCR
(RAPD-PCR), 114
- Randomly amplified
polymorphic DNA
(RAPD), 125, 236–39,
246, 566
- Rapid amplification of cDNA
ends
See RACE
- rDNA
See Ribosomal DNA
- Receptivity-inhibiting
substances (RIS),
166–68
- Reduction of attractiveness
female refractoriness and,
167–70
- Redundancy
enhancer of, 589–90
- Reduviidae, 31, 33, 43–44
- Refractoriness
female, and reduction of
attractiveness, 167–70
- Regulation
of egg development,
172–74
- Regulatory components of the
isoprenoid pathway in
the Scolytidae
complete elucidation of,
441–42
- Replacement reproductives
in ants and termites,
289–92
- Repression
See Short-range repression
- Reproductive biology
gall midge, 556–59
- Reproductive conflict
in ants and termites, 292
- Reproductive plasticity in
ants and termites,
289–92
colony structure, gynes,
and replacement
reproductives, 289–92
reproductive conflict, 292
- Reproductive structure
of ants and termites,
298–99
- RER
See Rough endoplasmic
reticulum
- Research needed
on *Amblyomma*
americanum as a vector of
pathogens affecting
humans in the United
States, 328–29
on ants and termites, 300
on the evolution of
alternative genetic
systems in insects,
413–14
on feather mites, 202–3
on grasses and gall midges,
568–70
on isoprenoid pheromone
production in the
Scolytidae, 443
on neural development in
insects, 104
on pathogens affecting
humans in the United
States, 328–29
on plant defense and insect
adaptation, 568–70
on selective toxicity of
neonicotinoids, 356–57
- Reservoir hosts
for
Amblyomma-transmitted
Ehrlichiae, 315
- Resistance
evolution of, 300
mechanisms of, 60
in pests, 355–56
systemic, 61
- Resistance genes in
agriculture
gall midge, 566–68
- Resonance
defined, 30n
- Restriction fragment length
polymorphism (RFLP),
54, 115, 236–37
- Reverse transcriptase (RT),
433
- Revolutionary War, 554
- RFLP
See Restriction fragment
length polymorphism
- Rhacocleis annulata*, 171
- Rhagoletis pomonella*, 237,
266
- Rhaphigaster nebulosa*, 43
- Rhea americana*, 200
- Rheidae, 200
- Rhinocoris iracundus*, 33
- Rhinocyllus conicus*, 367–69,
384–86
against exotic thistles,
367–68
- Rhinonyssidae, 186, 201
- Rhinoseius*, 186
- Rhinotermitidae, 288
- Rhizococcus kondonis*, 526
- Rhizopertha dominica*, 266
- Rhodnius*, 16, 19, 172
- R. prolixus*, 2, 33, 38, 43–44,
78, 147
- Rhodogastra bubo*, 456
- Rhopalidae, 31
- Rhopalosiphum padi*, 404,
406
- Rhynchophorus ferrugineus*,
492
- Ribosomal DNA (rDNA),
114, 117, 119–20, 122,
124, 212, 405
- Rice gall midge, 566
- "*Rickettsia amblyommi*,"
310–12
- R. parkeri*, 312
- R. rickettsia rickettsii*, 308–9
- R. typhi*, 309
- Rickettsia rickettsii*, 312
- Rift Valley, 124
- Riptortus clavatus*, 32
- RIS

- See Receptivity-inhibiting substances
- Rivalry
communication in, 42-43
- RMSF
See Rocky Mountain spotted fever
- RNA
anti-sense, 436
synthesis of, 7
- RNA polymerase, 581
- RNA transport, 7
- RNAi, 252
- Robo receptors, 93, 95
- Rocky Mountain spotted fever (RMSF), 308, 321, 328-29
- Roegneria*, 555
- Root herbivores
as biological weed control agents, 531-33
as pests, 525-27
- Rosaceae, 474-75
- Rough endoplasmic reticulum (RER), 7-16, 20-21
ferritin distribution in, 9
formation of, 7
- Routing categories, 22
- RT
See Reverse transcriptase
- S**
- Salicaceae, 474
- Saliva
arthropod, in blood feeding, 73-88
- Salivary pharmacologic complexity of
hematophagous arthropods
in blood feeding, 78-80
- Salivary transcriptomes and proteomes (sialomes)
in blood feeding, 80-81
- Salix*, 474
- Sarcophaga perigrina*, 248
- Saturniidae*, 374
- Savanna, 118-19, 121
- Scarabaeidae, 536
- Scelionidae, 376
- Schistocerca americana*, 461, 469-70
- S. gregaria*, 348, 456, 491
- Sciaridae, 409, 411
- Scolytidae
isoprenoid pheromone production in, 425-53
- Scolytinae, 408, 411
- Scolytus* spp., 437
- Scutelleridae, 31, 376
- SDS-polyacrylamide gel electrophoresis (SDS-PAGE), 82
- Secondary compounds
as deterrents, 463-65
as phagostimulants, 465
- Secretions
accessory gland, biochemistry of, 165-67
accessory reproductive gland, 176-77
- Sedum*, 474
- Segmental and intersegmental nerves of the peripheral nervous system, 96-97
- SELECTV database, 506
- Selective toxicity of, 340-44
- Senecio jacobaea*, 523, 537
- Senegal, 120
- Sensory organs
communication with, 35-38
- Sequence analysis
applications of, 251
of *cis*-regulatory elements, 593-94
- Sequences in blood feeding
unexpected, 81-82
unknown, 82-83
- SER
See Smooth endoplasmic reticulum
- Serial reproductive inheritance by kin
of ants and termites, 299
- Serritermitidae, 288
- Sex peptide (SP), 165, 168-69, 173-75
- SFGR
See Spotted fever group rickettsiae
- SGOs
See Subgenual organs
- Shared enhancer-promoter interactions, 588-89
- Shell Development Corp., 340
- Short-range communication, 42-43
- Short-range repression
modular enhancers and, 590
- Sialome and post-sialome perspectives
in blood feeding, 73-88
- Signal production
communication with, 31-33
- Signaling pathways and physiological functions of *Drosophila melanogaster*
FMRFamide-related peptides, 485-503
FMRFamide-containing peptides, 486-91
myosuppressin peptides, 491-94
sulfakinin peptides, 494-97
- SilkBase, 250
- Silybum marianum*, 367
- Simpson, GG, 112
- Simulium vittatum*, 78
- SINES, 129
- Single nucleotide polymorphisms (SNPs), 236
- Single-strand conformation polymorphism (SSCP), 115

- Sitodiplosis mosellana*, 552
Sitona discoides, 372, 527
S. hispidulus, 527, 530
S. lepidus, 529
Sitophilus granarius, 268
S. oryzae, 268
 Slit repellent, 93, 95
 Small plant-dwelling insects
 communication by, 29–50
 Smooth endoplasmic
 reticulum (SER), 8–9,
 436
 ferritin distribution in, 9
 SNPs
 See Single nucleotide
 polymorphisms
 Soaps
 for managing agricultural
 insects, 267
 Social biology
 comparative, 283–306
 Social organization
 of ants and termites, 300
Solanum berthaultii, 53
 Solar heating
 for managing agricultural
 insects, 271
Solidago missouriensis, 535
Sonchus oleraceus, 527,
 534–35
 Songs of courtship, 42–43
 Sound
 for managing agricultural
 insects, 268
 South Africa, 272, 367
 SP
 See Sex peptide
 SP-62 protein, 166
 Spatial distribution
 FMRFamide-containing
 peptides, 488–90
 myosuppressin peptides,
 492
 sulfakinin peptides,
 495–97
 Special promoters, 590–92
 compact testis-specific
 promoter, 590–91
 modular enhancers and
 short-range repression,
 590
 promoters in
 heterochromatin, 591–92
 runt: a disperse regulatory
 element, 592
 Species boundaries, 118–23
 chromosomal forms,
 118–21
 Species complexes
 hybridization of, 121–23
 introgression of, 121–23
 Species identification,
 113–15
 biochemical methods, 114
 cytogenetics, 113–14
 DNA-based methods,
 114–15
 Sperm capacitation, 171
 Sperm-dependent thelytoky,
 414–15
 gynogenesis, 415
 hemiclonal inheritance,
 415
 hybridogenesis, 415
 pseudogamy, 415
 Sperm-related functions,
 170–72
Sphecomyrma freyi, 285, 296
Sphecomyrminae, 285
 Spike phase locked response
 defined, 30n
Spinacia oleracea, 530
Spissistilus festinus, 41
SpltNPV, 213, 215
Spodoptera exempta, 469
S. exigua, 52–53, 55, 59–62,
 220–21
S. frugiperda, 470
S. littoralis, 463, 470
S. litura, 220–21, 342, 459
 Spotted fever group
 Rickettsiae (SFGR),
 312–13, 321
 Sri Lanka, 285
 SSCP
 See Single-strand
 conformation
 polymorphism
 Stalk destruction
 for managing agricultural
 insects, 268–69
 Standing wave
 defined, 30n
 Stealing blood from a
 vertebrate
 difficulty of, 74–78
 Steaming
 for managing agricultural
 insects, 271
Sternorrhyncha, 410, 412
Sternosathes, 195
Sternostoma tracheacolum,
 186
 Steroids
 from plants, 462
Stethomyia, 115–17
Stictococcus, 410–11, 413
Stolotermes, 291
Stomoxys, 80
 Storage vacuoles, 18–21
 associated with glycogen,
 20
 pigment, 21
 for storing phenolics,
 19–20
 for storing urate, 18–19
 for symbionts, 20–21
 Strict clonality, 414
 Stridulatory signals, 33, 43
 Structural components of the
 isoprenoid pathway
 in the Scolytidae, complete
 elucidation of, 441–42
 Structural genomics, 236–44
 EST sequencing projects,
 239–43
 genetic linkage maps,
 236–38
 genomic libraries and
 physical maps, 238–39
 mitochondrial genome

- sequencing, 243
nuclear genome sequencing, 243–44
- Structural proteins, 215
- Structure and chemistry of beads, 13–14
- Struthiopterolichus bicaudatus*, 200
- Sturnophagoides*, 190
- Subgenual organs (SGOs), 36
- Sublethal effects, 508
- Subsites
binding, 353
- Substrate-borne signals
for communication in small plant-dwelling insects, 29–50
disturbance signals, 43–44
long-range communication and orientation, 38–42
sensory organs, 35–38
short-range communication, courtship, and rivalry, 42–43
signal production, 31–33
in small plant-dwelling insects, 29–50
transmission through plants, 33–35
- Subtype diversity, 350
- Sueus*, 411
- Suidasiidae, 187
- Sulanyssus*, 195
- Sulfakinin peptides, 494–97
activity of, 497
gene, 494–95
peptides, 494
spatial and temporal distribution, 495–97
- Surface membranes, 1–27
apical-polarized vacuoles, 21–22
autophagy, 15–18
differences from vertebrates, 23–24
perimicrovillar spaces and cuticle secretion, 6–7
plasma membrane reticular systems and intercellular lymph spaces, 3–6
posttransition region compartments, 11–15
pretransition region compartments, 7–11
storage vacuoles, granules, and concretions, 18–21
surface membranes, 3–7
transepidermal transport and cuticle secretion, 22–23
vesicular membrane barriers, 7
- Surfactants
for managing agricultural insects, 267
- Surveillance
improved, in the emergence of *Amblyomma*-associated Ehrlichioses, 325
- Survivorship
infection and, 154–56
malaria and mosquito longevity, 155
manipulation of survival, 156
survival of infected tsetse flies, 156
- Swiss-Prot database, 250
- Symphyleona, 411
- Synthetic DUP99B, 168
- Synthetic SP
I-labeled, 168, 173, 176
- Syringobiidae, 194
- Syringophilidae, 187, 197
- Systematic gene disruption, 247–48
insertional mutagenesis by transposable elements, 247–48
transcriptional silencing, 248
- Systematics
higher level, 115–18
- T**
- Tachinidae, 376
- Target site selectivity, 350–51
- TBLASTN searches, 250
- TCS1.12 program, 126
- Technology
in the emergence of *Amblyomma*-associated Ehrlichioses, 327–28
See also New technologies
- Telenomus sphingis*, 55–56, 58
- Temporal distribution
FMRamide-containing peptides, 488–90
myosuppressin peptides, 492
sulfakinin peptides, 495–97
- Temporal polyethism, 293
- Temporal polymorphism, 293
- Tenebrio*
epidermis of, 8
- T. molitor*, 153–54, 165–66, 272
- Tephritid fruit flies in Hawai'i
introduced parasitoids against, 373–74
- Terminology
of chemoreception, 457
- Termites
ancestral ecology of Termopsidae, 288
comparative social biology of basal taxa of, 283–306
disease risk, the evolution of resistance, and social organization, 300
division of labor, 292–95
evolutionary pathobiology, 296–97
foraging biology, 295–96
inferences regarding ancestral life histories, 288–89
origin of Isoptera and interfamilial relationships, 286–87

- reproductive plasticity in, 289–92
- reproductive structure and division of labor, 298–99
- research needed, 300
- serial reproductive inheritance by kin, 299
- Termitidae, 288
- Termopsidae, 286–88, 293–94
- Tertiary, 287
- Testis-specific promoter compact, 590–91
- Tetranychus urticae*, 53, 61–62, 267, 512
- Tetrastichus giffardianus*, 373
- Texas, 268, 308, 313
- Th2-mediated responses, 77
- Thailand, 114, 126
- Thelytokous parthenogenesis, 414–15
- ameiotic parthenogenesis, 414
- apomixis, 414
- automixis, 414
- meiotic parthenogenesis, 414
- strict clonality, 414
- Thelytoky, 399–401, 414–15
- contagious, 404
- cyclic, 406–7
- hybridization and, 404–5
- obligate, 403–5
- obligate mating, 414–15
- sperm-dependent, 414–15
- thelytokous parthenogenesis, 414–15
- Thelytoky alternating with diploidy, 415
- cyclic
- diploidy-thelytoky, 415
- cyclic parthenogenesis, 415
- facultative
- diploidy-thelytoky, 415
- facultative parthenogenesis, 415
- polyembryony, 415
- Thermal methods for managing agricultural insects, 269–71
- cold storage, 270
- flaming, 271
- heated air, 270
- hot-water immersion, 270–71
- solar heating, 271
- steaming, 271
- Thermobia domestica*, 473
- Thesium bavarum*, 34
- 38K (ac98)* gene, 211, 226
- Thoracosathes*, 195
- Thoracosathidae, 195
- Threshold acceleration sensitivity defined, 30n
- Thresholds of detection, 466–67
- Thromboxane A₂ (TXA₂), 74, 76
- Thuja occidentalis*, 530–31
- Thyanta custator accerra*, 40
- T. pallidovirens*, 40
- Thysanoptera, 409, 411, 414
- Thysanura, 473
- TIGR
- See Institute for Genomic Research
- Tile regulation of monoterpenoid pheromone production, 436–41
- biochemical studies of regulation through JHIII and feeding, 437–39
- major step *versus* coordinate regulation of isoprenoid synthesis, 437
- molecular studies of regulation through JHIII and feeding, 439–41
- Timema*, 406
- Tinamolichus*, 195
- TNF- α , 75
- Tomatoes, pests, parasitoids and predators, 51–72
- nontrichome defenses in *Lycopersicon*, 59–63
- trichome-mediated effects in *Lycopersicon hirsutum* f. *glabratum*, 53–59
- trichomes and defense in *Lycopersicon*, 52–59
- Torpedo*, 346, 350
- Tourette's syndrome, 347
- Toxic action, 344–46
- neonicotinoid-binding site, 345–46
- penetration into the central nervous system, 344–45
- targeting, 344
- Toxicity
- chronic, 508
- using demography for evaluation of, 510–11
- Toxicology mechanisms, 353–56
- metabolism, 354–55
- neonicotinoid action at vertebrate nicotinic receptors, 353–54
- resistance in pests, 355–56
- Transcription, 213–14
- Transcriptional regulatory elements
- analysis and function of, 579–602
- basal promoter elements, 582–84

- boundary elements, 584
 enhancers, 585-90
 evolution of *cis*-regulatory elements, 592-94
 features of transcriptional regulatory regions, 581-82
 insights from *Drosophila melanogaster*, 579-602
 new technologies, 594-96
 some special promoters, 590-92
- Transcriptional regulatory regions
 features of, 581-82
- Transcriptional silencing, 248
- Transcriptomes
 salivary, in blood feeding, 80-81
- Transgenesis, 596
- Transmission
 across the nuclear envelope, 7
 through plants, 33-35
 from the vertebrate host, 148-49
- Transposable elements
 insertional mutagenesis by, 247-48
- Trapping
 for managing agricultural insects, 266
- Tree of Life Project, 112
- Trenches
 for managing agricultural insects, 263-64
- Trialeurodes vaporariorum*, 52
- Triatoma infestans*, 38, 44, 79
- Tribolium*, 248
- T. castaneum*, 238, 266, 594
- T. confusum*, 273
- Trichogramma* spp., 55, 58, 63
- T. brassicae*, 238
- T. exiguum*, 55
- T. kaykai*, 404
- T. pretiosum*, 55-56, 58
- Trichome-mediated effects in *Lycopersicon hirsutum* f. *glabratum*, 53-59
 basis of resistance, 54-55
 effects on egg parasitoids, 55-56
 effects on larval parasitoids of *H. zea*, 56-58
 field observations, 58-59
- Trichoplusia ni*, 464, 469
- Trichopoda basalis*, 376
- T. pennipes*, 376
- T. pilipes*, 376, 386
- Tripleurospermum perforatum*, 533
- Trirhabda canadensis*, 535
- Trischidiidae*, 409
- Trissolcus basalis*, 376
- Triticeae*, 554
- Triticum* spp., 555
- T. aestivum*, 552, 562
- Tritrophic interactions
 involving the genus *Lycopersicon*, 51-72
 nontrichome defenses in *Lycopersicon*, 59-63
 trichome-mediated effects in *Lycopersicon hirsutum* f. *glabratum*, 53-59
 trichomes and defense in *Lycopersicon*, 52-59
- Trombiculidae, 186
- Tropicoseius*, 186
- Trouessartia* spp., 199
- T. megadisca*, 201
- Trouessartiidae, 199, 201
- Trupanea dubautiae*, 373, 384
- Trypanosoma* spp., 141, 147
- T. brucei rhodesiense*, 156
- T. congolense*, 156
- T. cruzi*, 143
- T. rangeli*, 147
- Trypodendron lineatum*, 435
- Tuberolachnus salignus*, 406
- Turbinoptidae, 187
- Turnover
 of lamina, in phagocytic vacuoles, 16
- TXA₂
 See Thromboxane A₂
- Tyria jacobaeae*, 537
- U
- Umbonia crassicornis*, 42, 44
- UNDP, 142
- Unexpected sequences
 in blood feeding, 81-82
- Unknown sequences
 in blood feeding, 82-83
- Uredinales, 194
- Urophora* spp., 386
- U.S. Centers for Disease Control and Prevention (CDC), 314, 320, 325
- U.S. Environmental Protection Agency, 266
- U.S. National Center for Biotechnology Information (NCBI), 249
- U.S. National Human Genome Research Institute, 244, 252
- U.S. National Science Foundation, 252
- U.S. National Tick Collection, 320
- Utethesia ornata*, 465
- V
- Vacuolar systems, 1-27
 autophagy, 15-18
 differences from vertebrates, 23-24
 posttransition region compartments, 11-15
 pretransition region compartments, 7-11
 storage vacuoles, granules, and concretions, 18-21
 surface membranes, 3-7
 transepidermal transport and cuticle secretion, 22-23

- Vacuoles, 18–21
 apical-polarized, 21–22
 associated with glycogen, 20
 for iron storage in derivatives of the RER, 9
 phagocytic, basal lamina turnover in, 16
 pigment, 21
 for storing phenolics, 19–20
 for storing urate, 18–19
 for symbionts, 20–21
- Vector-borne diseases, 141–61, 307–37
- Vector of pathogens affecting humans in the United States
Amblyomma americanum as, 307–37
Amblyomma americanum-associated Ehrlichioses, 313–19
 bacteria (other than Ehrlichiae) associated with *Amblyomma americanum*, 310–13
 epidemiology of *Amblyomma*-associated human Ehrlichioses, 320–21
 factors in the emergence of *Amblyomma*-associated Ehrlichioses, 321–28
 natural history of *Amblyomma americanum*, 309–10
 research needed, 328–29
- Velocity
 defined, 30n
- Venezuela, 125
- Ventral nerve cord
 embryonic, longitudinal glia of, 93–95
- Ventral unpaired median (VUM) neuron, 92
- Venturia inaequalis*, 273
- Vertebrate nicotinic acetylcholine receptors, 346–47
 functional architecture and diversity, 346–47
 nicotinic receptors as targets for pharmaceuticals, 347
- Vertebrates
 difficulty of stealing blood from, 74–78
- Vesicular membrane barriers, 7
- Vesiculation, 15
- Vibration
 defined, 30n
 intensity of, defined, 30n
- Vibrational directionality, 41–42
- Vibrational pulses
 in plants, 35
- Vibrational songs, 32
- Virulent larvae
 plant reactions to attack by, 559
- Visual systems, 97–99
 adult, 98–99
 larval, 97–98
- Vitaceae polistiformis*, 523
- VLF-1, 213
- Vulpes vulpes*, 317
- VUM
 See Ventral unpaired median neuron
- W**
- Wavelength
 defined, 30n
- Weeds
 case histories in biological control of, 367–71
- WGS
 See "Whole genome shotgun" method
- White-tailed deer
Amblyomma americanum-associated Ehrlichioses in, 316
- WHO (World Health Organization), 142
- "Whole genome shotgun" (WGS) method, 243
- Wildlife
Amblyomma americanum-associated Ehrlichioses in, 316–19
- Winnertziini, 407
- Winterschmidtidae, 188
- Wolbachia*, 400, 413, 557
 conversion of arrhenotokous haplodiploidy to thelytoky by, 403–4
 inducing thelytoky, 402–4
- World Bank, 142
- World Wide Web, 126, 249, 267
- X**
- Xanthomonas oryzae*, 553, 564–65
- Xenopsylla cheopis*, 147
- Xenopus*, 347, 349, 351
- Xestia c-nigrum*, 220–21
- Xolalgidae, 196, 200–1
- Xyleborini and relatives, 408
- Y**
- YAC (yeast artificial chromosome), 238
- Yersina pestis*, 147
- Yponomeuta* spp., 464–65, 474–75
- Y. cagnagellus*, 471
- Y. evonymellus*, 474–75
- Y. mahalabellus*, 474–75
- Y. malinellus*, 474
- Y. padellus*, 474
- Y. rorellus*, 474
- Y. vigintipunctatus*, 474
- Z**
- Zootermopsis*, 291–92, 294
- Z. angusticollis*, 296–97
- Z. nevadensis*, 296–97
- Zosterops lateralis*, 201

